

JAROBEE

• ANGUS •


AuctionsPlus[®]
Australia's Livestock Marketplace



SPRING BULL SALE

FRIDAY 10th October 2025 at 1:00pm

• **38 HBR BULLS** •

Selling By The Helmsman Buying System

Alan & Jan Robinson
Jan: 0429 324 124 or Alan: 0427 471 121
Email: jarobee1@outlook.com

INSPECTION WELCOME ANY TIME BY APPOINTMENT

Jarobee Angus Stud

Contact Alan & Jan Robinson Mobile 0429 324 124
Email: jarobee1@outlook.com

Agents



Elders Limited (Albury)

Brett Shea: 0428 691 489 Kirsty Taylor: 0438 444 227



Ray White Rural

James Brown: 0419 333 295



Peter Ruaro Rodwells

Peter Ruaro: 0447 600 825

Auctioneer


Brett Shea: 0428 691 489

Phone Bidding

Please contact Elders Albury Office 24 hours prior to the sale or one of the agents listed.

Directions

Jarobee Angus is 4.5km west of Beechworth on the Wangaratta Road.
Turn left into Robinson Road.



Sale Terms

All lots to be governed by the usual sale conditions available on sale day - 4% rebate is offered to outside agents introducing buyers prior to the sale. For this rebate they must do two things.

1. Introduce the client in writing to the vendor or agents via fax or email prior to the sale.
2. Settle within 7 days.

Agents not meeting the above terms will be entitled to 1% rebate.

Disclaimer

All reasonable care and attention has been paid to accuracy in the compilation of this catalogue, neither the vendors nor the selling agents or representatives there of resume any responsibility what so ever for the correctness use or interpretation of the information on animals included in this sale catalogue.

JAROBEE ANGUS AUTUMN BULL SALE INTRODUCTION

Dear Fellow Cattle Producers,

On behalf of all involved in the operations at Jarobee, we welcome you to our Spring Bull Sale to be held on the 10th of October 2025 , commencing at 1pm, at our Beechworth venue, Robinson Road Beechworth. We are again using the Helmsman Buying System in conjunction with Auctions Plus.

Included in the sale are sons of Ferguson Trailblazer USA 18996007. Moogenilla Quinella Texas Sniper. Landfall New Ground, Chiltern Park Quadrant, Dunoon Recharge, Clunie Range Plantation, and Ayrevale Precision. all selected for their Balance of Genetics.

Jarobee Bulls have all been Structurally assessed by Jim Green. Scanned by Lonnie Stone. As well thoroughly checked by HOLBROOK Vets for Breeding Soundness, Including Crush Side Semen Tests on each Bull. Bulls were all Blood Tested for Pestivirus, all results were Free.

The Bulls have all been treated with 7 In One, Pestiguard and Vibriosis Vaccination. Also Injected with DECTOMAX V Drench.

Our Cow Herd is chosen to meet our Genetic Goals as well as this we Prioritize Temperament, Structure, Fertility and Feet. We are aiming for high quality meat producing progeny from our cows.

Our seasons have presented a huge challenge to us all, with Spring upon us we are hoping for the rainfall that is predicted .

At Jarobee we are all very encouraged by the input and dedicated work and interest that our younger family members are embracing .

We look forward to seeing you at our sale and would love to discuss your breeding programs with you. Please join us for Refreshments and Lunch.

Kind Regards

THE JAROBEE TEAM .



Sale Information

Pre Sale Inspection

We invite you to come to Jarobee at Beechworth, Pre Sale Inspections welcome by appointment by contacting Alan or Jan 0429 324 124.

Sale Day Inspection

Bulls will be penned for inspection from 10am on day of sale.

Animal Health

All bulls have received regular vaccinations of 7 in 1 over their life.

2 Injections of Vibrovax

2 Injections of Pestigard

Drenched with ZOETIS CATTLE GUARD .

Scanned & Assessed

Bulls scanned by Lonnie Stone at

Southern Cross Scanning. Mobile: 0418 238 335

and assessed by Jim Green. Mobile: 0402 003 137



Beef Xcel

www.c2cbeef.com.au



Fertility Examination including Animal Health



All bulls have passed a thorough fertility examination conducted by Dr Steph Ferguson and Dr Cam Duffy, Holbrook Vet Centre. This examination included an assessment of structural soundness, palpation of reproductive organs and penile inspection and semen tested. The bulls have been tested to be Pestivirus (PI, or carrier state) free and have received their full course of 7-in-1, vibrovax and Pestigard vaccinations.

In the unlikely event of a bull proving to be infertile or incapable of natural service, the vendor will offer to supply a suitable replacement, if available or credit the purchase price, less the salvage value of the bull. This is, provided the problem is not caused by injury, disease, mismanagement or negligence which was contracted since taking delivery of the bull. Any claim must be lodged to the vendor accompanied by a relevant veterinary certificate.

Delivery

Free delivery offered by Jarobee within 200km.

Guarantee

JAROBEE 2 YEAR GUARANTEE

All breeding cattle sold by Jarobee are fertile and structurally sound to the best of our knowledge. If an animal becomes infertile or breaks down due to reason other than injury or misadventure at anytime in the 24 months we will:

1. Provide you with a satisfactory replacement if available, or
2. Issue you with a credit equal to the purchase price less the salvage value that may be used to purchase an animal from Jarobee.

Any claims are to be accompanied by a certificate from a registered vet.
All vet cost are the responsibility of the purchaser.

Refreshments

Complimentary morning tea and lunch.

Accommodation

Newton Park Motel, Ph: 03 5728 2244

Golden Heritage Motor Inn, Ph: 03 5728 1404

Understanding the TransTasman Angus Cattle Evaluation (TACE)

What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20

kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes.

For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease/Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
Maternal	MCH	cm	Genetic differences between animals in the height of mature females.	Higher EBVs indicate taller mature females.
	MBC	score	Genetic differences between animals in the body condition of mature females.	Higher EBVs indicate more body condition of mature females.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate less curl of the claw set.
	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more heel depth.
	Leg Angle	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a less angular leg angle.
Selection Index	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	\$A-L	\$	<p>The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Selection Indexes	\$D	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
	\$D-L	\$	<p>The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$GN-L	\$	<p>The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
	\$GS-L	\$	<p>The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$PRO	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcass weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$T	\$	Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcass yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.

REFERENCE SIRES


RS	FERGUSON TRAILBLAZER 239E ^{SV} (HBR)	USA18996007
DOB: 18/02/2017	Mating Type: Natural MYTTY IN FOCUS# A A R TEN X 7008 S A ^{SV} A A R LADY KELTON 5551#	Traits Observed: Genomics O C C EMBLAZON 854E# LD EMBLAZON 999 ^{PV} SH FOREVER LADY 3124 5118#
	SIRE: USA17262835 V A R DISCOVERY 2240 ^{PV} SITZ UPWARD 307R ^{SV} DEER VALLEY RITA 0308# G A R OBJECTIVE 2345#	DAM: USA17717153 MOLITOR999 BARBELLA 940-3012# S A V FINAL ANSWER 0035# MOLITOR FA BARBELLA 389-940# MOLITOR5321 BARBELLA9027 389#

<div><div>TACE</div><div>TransTasman Angus Cattle Evaluation</div></div>	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+2.8	+6.7	-7.2	+3.3	+72	+131	+174	+161	+0.26	+6.4	+15	+2.2	-6.7	+97	+2.9	+1.9	+0.8	-1.3	+4.7	+0.51	+39
Acc	80%	67%	98%	97%	96%	95%	95%	90%	73%	79%	86%	94%	55%	86%	86%	85%	83%	79%	86%	68%	88%	
Perc	51	17	14	36	1	1	1	2	51	82	70	48	14	3	87	14	32	99	8	78	5	

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$270	3	\$217	6	\$367	2	\$260	3

Statistics: Number of Herds: 36, Prog Analysed: 434, Genomic Prog: 287


RS	LANDFALL NEW GROUND N90 ^{PV} (HBR)	TFAN90
DOB: 16/07/2017	Mating Type: AI MYTTY IN FOCUS# A A R TEN X 7008 S A ^{SV} A A R LADY KELTON 5551#	Traits Observed: GL,CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics SCHURRTOP REALITY X723# MATAURI REALITY 839# MATAURI 06663#
	SIRE: USA17262835 V A R DISCOVERY 2240 ^{PV} SITZ UPWARD 307R ^{SV} DEER VALLEY RITA 0308# G A R OBJECTIVE 2345#	DAM: TFAL88 LANDFALL ELSA L88 ^{PV} TE MANIA EMPEROR E343 ^{PV} LANDFALL ELSA J139# LANDFALL E103 ^{SV}

 TACE	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+1.1	+3.5	-6.1	+3.8	+57	+111	+143	+120	+0.48	+8.0	+14	+6.6	-3.7	+70	+12.3	+2.3	+2.1	+0.5	+2.8	+0.82	+32	
Acc	90%	86%	99%	99%	99%	99%	99%	98%	98%	99%	98%	99%	76%	96%	94%	95%	95%	93%	94%	83%	99%	
Perc	66	51	26	47	27	10	11	24	8	54	76	1	75	47	5	10	15	41	40	94	14	

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$234	22	\$194	22	\$309	23	\$227	16

Statistics: Number of Herds: 211, Prog Analysed: 5102, Genomic Prog: 3919


RS	DUNOON RECHARGE R102 ^{PV} (HBR)	BHRR102
DOB: 03/07/2020	Mating Type: AI G A R INGENUITY# H P C A INTENSITY# G A R PREDESTINED 287L#	Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics TUWHARETOA REGENT D145 ^{PV} DUNOON HACKING H061 ^{PV} DUNOON BEEAC E110 ^{SV}
	SIRE: NORL519 RENNYLEA L519 ^{PV} TE MANIA BERKLEY B1 ^{PV} RENNYLEA H414 ^{SV} RENNYLEA C310#	DAM: BHRM459 DUNOON ELINE M459 ^{SV} DUNOON GABBA G548 ^{PV} DUNOON ELINE K595# DUNOON ELINE E530#

<div><div>TACE</div><div></div><div>TransTasman Angus Cattle Evaluation</div></div>	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+6.7	+8.0	-8.3	+2.2	+58	+113	+143	+140	+0.52	+7.0	+11	+1.2	-5.2	+90	+5.3	+1.1	+2.4	-0.5	+4.3	+0.59	+28	
Acc	81%	66%	99%	99%	98%	98%	96%	88%	78%	81%	79%	96%	57%	82%	85%	83%	84%	78%	84%	69%	97%	
Perc	16	8	7	16	22	8	12	8	5	72	92	82	40	7	64	26	12	89	12	84	24	

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$244	14	\$202	15	\$331	11	\$230	14

Statistics: Number of Herds: 77, Prog Analysed: 1619, Genomic Prog: 944


RS	TEXAS SNIPER S91 ^{PV} (HBR)	DXT21S91
DOB: 30/01/2021	Mating Type: ET BASIN PAYWEIGHT 0065 [#] BASIN PAYWEIGHT 1682 ^{PV} 21AR 0 LASS 7017 [#]	Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics COONAMBLE Z3 ^{PV} BANGADANG WESTERN EXPRESS E10 ^{SV} BANGADANG WILCOOLA Y7 [#]
	SIRE: USA18962396 POSS MAVERICK ^{PV} POSS HOOVER DAM 2509 [#] POSS PRIDE 5163 [#] POSS PRIDE 9526 [#]	DAM: DXTH647 TEXAS UNDINE H647 ^{PV} BUSHS GRAND DESIGN [#] TEXAS UNDINE Z183 ^{PV} TEXAS UNDINE X221 [#]

 TACE TransTasman Angus Cattle Evaluation	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	-5.1	+2.5	-0.1	+4.4	+49	+92	+123	+116	+0.30	+6.7	+10	+4.1	-3.8	+56	+9.7	+2.3	+2.8	+0.3	+2.4	+0.34	+22
Acc	71%	59%	87%	85%	85%	84%	84%	81%	64%	67%	78%	81%	49%	75%	74%	74%	74%	68%	76%	63%	79%	
Perc	93	61	97	61	65	55	44	29	40	77	95	5	73	83	17	10	10	53	49	62	46	

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$181	78	\$143	82	\$241	76	\$170	73

Statistics: Number of Herds: 1, Prog Analysed: 9, Genomic Prog: 0


RS	CHILTERN PARK QUADRANT Q322 ^{PV} (HBR)	GTNQ322
DOB: 24/08/2019	Mating Type: AI CONNEALY IN SURE 8524 [#] G A R SURE FIRE ^{SV} CHAIR ROCK 5050 G A R 8086 [#]	Traits Observed: GL,BWT,400WT,Genomics K C F BENNETT PERFORMER [#] WITHERSWOOD PERFORMER E49 ^{PV} WITHERSWOOD FLOWER C36 ^{SV}
	SIRE: USA18636106 G A R PHOENIX ^{PV} G A R PROPHET ^{SV} G A R PROPHET N744 [#] G A R DAYBREAK 440 [#]	DAM: GTNL198 CHILTERN PARK L198 ^{SV} EXAR UPSHOT 0562B [#] ABERDEEN ESTATE WILCOOLA H140 ^{SV} ARDROSSAN WILCOOLA Z31 ^{PV}

 TACE TransTasman Angus Cattle Evaluation	Mid March 2025 TransTasman Angus Cattle Evaluation																						
	Calving Ease				Growth								Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc		
	EBVs	+6.7	+4.4	-2.3	+3.4	+62	+115	+144	+108	+0.25	+11.0	+20	+4.3	-6.2	+92	+13.0	-1.7	-1.2	+0.7	+4.0	+0.90	+5	
Acc	80%	70%	97%	97%	93%	96%	94%	89%	71%	76%	80%	85%	58%	90%	88%	88%	89%	79%	90%	82%	87%		
Perc	16	41	82	38	12	6	10	42	54	9	26	4	20	5	4	85	67	29	16	96	96		

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$290	1	\$244	1	\$385	1	\$281	1

Statistics: Number of Herds: 14, Prog Analysed: 329, Genomic Prog: 268

RS	CLUNIE RANGE PLANTATION P392 ^{SV} (HBR)	NBHP392
DOB: 27/07/2018	Mating Type: AI C R A BEXTOR 872 5205 608 [#] G A R PROPHET ^{SV} G A R OBJECTIVE 1885 [#]	Traits Observed: GL,200WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics SITZ UPWARD 307R ^{PV} THOMAS UP RIVER 1614 ^{PV} THOMAS CAROL 7595 [#]
	SIRE: USA17960722 BALDRIDGE BEAST MODE B074 ^{PV} STYLES UPGRADE J59 [#] BALDRIDGE ISABEL Y69 [#] BALDRIDGE ISABEL T935 [#]	DAM: NBHM516 CLUNIE RANGE NAOMI M516 [#] TE MANIA AFRICA A217 ^{PV} CLUNIE RANGE NAOMI H5 [#] CLUNIE RANGE NAOMI D107 [#]

 <div>TACE TransTasman Angus Cattle Evaluation</div>	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+4.9	+3.5	-5.1	+4.4	+68	+117	+145	+110	+0.32	+7.7	+22	+5.4	-4.3	+72	-1.2	-0.5	-1.6	-1.5	+4.0	+0.18	+24
Acc	89%	77%	99%	99%	98%	98%	98%	94%	83%	89%	89%	98%	64%	91%	90%	89%	90%	83%	91%	81%	98%	
Perc	31	51	41	61	4	5	9	37	35	60	16	1	62	42	99	62	73	99	16	44	38	

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$221	35	\$183	35	\$310	22	\$205	35

Statistics: Number of Herds: 142, Prog Analysed: 2057, Genomic Prog: 1263

RS

MURDEDUKE QUARTERBACK Q011^{PV} (HBR)

CSWQ011

DOB: 10/07/2019

Mating Type: AI

Traits Observed: GL,CE,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

G A R PROGRESS^{SV}

KAROO W109 DIRECTION Z181^{SV}

G A R MOMENTUM^{PV}

CARABAR DOCKLANDS D62^{PV}

G A R BIG EYE 1770[#]

CARABAR BLACKCAP MARY B12^{PV}

SIRE: VLYM518 LAWSONS MOMENTOUS M518^{PV}

DAM: CSWN026 MURDEDUKE BARUNAH N026^{PV}

TE MANIA AFRICA A217^{PV}

RENNYLEA EDMUND E11^{PV}

LAWSONS AFRICA H229^{SV}

MURDEDUKE K304^{SV}

LAWSONS ROCKND AMBUSH E1103^{PV}

MURDEDUKE BARUNAH C191^{SV}

<div>TACE</div> <div>TransTasman Angus Cattle Evaluation</div>	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+7.2	+2.0	-9.5	+3.0	+53	+100	+133	+104	+0.24	+11.2	+24	+4.1	-6.8	+77	+4.7	+1.5	+2.7	-1.1	+5.4	+0.62	+22
Acc	89%	80%	99%	99%	99%	99%	99%	97%	91%	94%	95%	98%	68%	93%	91%	92%	92%	87%	91%	82%	99%	
Perc	13	66	3	29	46	30	24	47	57	8	8	5	12	27	71	20	10	98	4	86	44	
Selection Indexes																						
\$A		\$D		\$GN		\$GS																
\$243	15	\$189	27	\$333	10	\$236	11															
Statistics: Number of Herds: 212, Prog Analysed: 4965, Genomic Prog: 3363																						

Statistics: Number of Herds: 212, Prog Analysed: 4965, Genomic Prog: 3363

RS

MOOGENILLA QUINELLA Q33^{PV} (HBR)

BWFQ33

DOB: 8/7/2019

Mating Type: AI

Traits Observed: GL,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

MYTTY IN FOCUS[#]

BASIN FRANCHISE P142[#]

CONNEALY IN SURE 8524[#]

EF COMPLEMENT 8088^{PV}

ENTREENA OF CONANGA 657[#]

EF EVERELDA ENTENSE 6117[#]

SIRE: USA18181757 G A R FAIL SAFE^{PV}

DAM: BWFN9 MOOGENILLA N9^{SV}

G A R PROGRESS^{SV}

PA FULL POWER 1208^{PV}

G A R PROGRESS 830[#]

MOOGENILLA L4[#]

G A R 111 RITO 3346[#]

MOOGENILLA J39[#]

<div>TACE</div> <div>TransTasman Angus Cattle Evaluation</div>	September 2024 TransTasman Angus Cattle Evaluation											Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF								
	Calving Ease		Birth		Growth					Fertility		Carcase							Other	
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+3.1	+9.5	-6.3	+3.9	+60	+115	+145	+81	+29	+3.1	-3.7	+99	+9.4	-1.2	+0.1	-0.4	+4.9	+0.43	+32
	Acc	85%	73%	99%	99%	79%	78%	79%	98%	94%	98%	61%	91%	90%	90%	90%	84%	90%	87%	98%
	Perc	48	3	23	49	16	6	10	81	2	19	73	2	19	76	44	86	6	71	14
Selection Indexes																				
\$A		\$D		\$GN		\$GS		Statistics: Number of Herds: 62, Prog Analysed: 1887, Genomic Prog: 910												
\$267	3	\$217	5	\$371	1	\$255	3													

Statistics: Number of Herds: 62, Prog Analysed: 1887, Genomic Prog: 910

RS

AYRVALE PRECISION P5^{PV} (HBR)

HIOP5

DOB: 17/02/2018

Mating Type: AI

Traits Observed: GL,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

C A FUTURE DIRECTION 5321^{SV}

TUWHARETOA REGENT D145^{PV}

BASIN FRANCHISE P142[#]

STRATHEWEN REGENT E23 H70^{PV}

BASIN CHLOE 812L[#]

STRATHEWEN DINKY-DI MITTAGONG E23^{PV}

SIRE: USA16198796 EF COMPLEMENT 8088^{PV}

DAM: HIOL39 AYRVALE LADY DI L39^{PV}

BR MIDLAND[#]

HIDDEN VALLEY COMMANDO D138^{PV}

EF EVERELDA ENTENSE 6117[#]

AYRVALE GLORIA G13^{PV}

H F EVERELDA ENTENSE 869[#]

AYRVALE EASE E3^{PV}

<div>TACE</div> <div>TransTasman Angus Cattle Evaluation</div>	Mid March 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+5.5	+3.4	-4.3	+3.0	+60	+104	+134	+111	+0.16	+8.2	+21	+2.3	-7.2	+83	+12.5	-1.5	-1.3	+1.6	+0.3	+0.43	+14
Acc	77%	69%	94%	93%	88%	86%	89%	85%	78%	81%	79%	86%	59%	79%	78%	78%	79%	73%	81%	71%	80%	
Perc	26	52	54	29	17	22	23	37	77	50	23	44	9	14	5	82	68	4	93	71	77	
Selection Indexes																						
\$A		\$D		\$GN		\$GS																
\$262	5	\$227	3	\$328	12	\$246	6															
Statistics: Number of Herds: 1, Prog Analysed: 61, Genomic Prog: 1																						

Statistics: Number of Herds: 1, Prog Analysed: 61, Genomic Prog: 1



Vale Michael Glasser

Not many weeks after conducting our April bull sale, we lost a legend of the Stud Stock Industry in Michael Glasser.

Michael will be greatly missed by all who knew him.

A Legendary Auctioneer, a great mentor, a friend to many and a devoted family man.

Our condolences go to his wife Maz and to all of Michael's family.

REFERENCE SIRES



MURDEDUKE QUARTERBACK
CSWQ011



CHILTERN PARK QUADRANT
GTNQ322



DUNOON RECHARGE R102
BHRR102



CLUNIE RANGE PLANTATION
NBH P392



TEXAS SNIPER S91
DXT21S91



LANDFALL NEW GROUND
TFAN90



FERGUSON TRAILBLAZER
USA18996007



MOOGENILLA QUINELLA
BWFQ33

TransTasman Angus Cattle Evaluation - Mid September 2025 Reference Tables

BREED AVERAGE SELECTION INDEXES									
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$T
Breed Avg	+205	+169	+270	+188	+350	+302	+420	+392	+188

* Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid September 2025 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE - SELECTION INDEXES									
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$T
	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability
1%	+281	+238	+374	+270	+458	+400	+552	+524	+238
5%	+260	+218	+346	+247	+428	+373	+515	+487	+213
10%	+248	+207	+330	+235	+412	+358	+496	+467	+201
15%	+241	+200	+319	+226	+401	+347	+482	+453	+192
20%	+234	+194	+311	+220	+392	+340	+472	+443	+185
25%	+229	+190	+303	+214	+385	+333	+463	+434	+179
30%	+224	+185	+297	+209	+378	+327	+454	+425	+174
35%	+220	+181	+290	+204	+372	+321	+446	+418	+169
40%	+215	+177	+285	+199	+366	+316	+439	+411	+164
45%	+211	+174	+279	+195	+360	+311	+432	+403	+159
50%	+207	+170	+273	+190	+354	+305	+425	+396	+155
55%	+203	+167	+267	+186	+348	+300	+418	+389	+150
60%	+198	+163	+261	+181	+342	+295	+410	+382	+145
65%	+193	+159	+255	+176	+335	+289	+402	+374	+140
70%	+188	+154	+248	+171	+328	+282	+393	+365	+135
75%	+183	+150	+240	+165	+320	+276	+383	+356	+129
80%	+176	+144	+232	+158	+311	+267	+371	+345	+122
85%	+168	+138	+221	+150	+299	+257	+357	+331	+113
90%	+158	+129	+207	+140	+283	+244	+337	+313	+102
95%	+141	+116	+186	+124	+258	+223	+307	+285	+85
99%	+107	+88	+143	+92	+203	+175	+242	+221	+50
	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability

* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid September 2025 TransTasman Angus Cattle Evaluation

Jarabee Angus Helmsman Spring Sale

Animal	Calving Ease				Birth		Growth			Maternal			Fertility			Carcass				Feed			Indexes			
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFLF	Doc	\$A	\$D	\$GN	\$GS	
1	CRO23U189	+1.0	+5.9	-5.8	+4.6	+62	+114	+150	+110	+0.26	+7.7	+22	+3.2	-5.1	+96	+9.8	-0.9	-0.1	+0.1	+4.2	+0.38	+25	\$270	\$216	\$364	\$261
2	CRO23U155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	CRO23U226	+4.4	+3.5	-6.4	+4.7	+59	+110	+154	+137	+0.33	+9.8	+21	+3.3	-6.1	+89	+6.0	+0.9	+1.3	-0.5	+4.4	+0.40	+19	\$245	\$190	\$325	\$238
4	CRO23U20	+5.0	+2.0	-4.6	+4.7	+61	+110	+148	+125	+0.23	+9.5	+16	+3.5	-5.3	+86	+8.1	-1.1	-1.3	+0.3	+2.9	+0.56	+11	\$241	\$196	\$313	\$230
5	CRO23U162	+2.7	+5.1	-6.1	+4.6	+57	+106	+140	+95	+0.17	+7.9	+23	+2.9	-4.5	+91	+9.7	-0.8	-0.2	+0.3	+3.5	+0.41	+18	\$254	\$204	\$339	\$243
6	CRO23U22	+5.0	+7.0	-5.4	+3.5	+50	+93	+117	+82	+0.15	+7.6	+24	+2.3	-5.9	+75	+5.7	+0.0	+0.3	-0.2	+3.6	+0.20	+25	\$233	\$192	\$310	\$218
7	CRO23U90	+5.9	+5.9	-6.1	+3.1	+62	+116	+155	+140	+0.28	+7.5	+19	+2.4	-7.1	+92	+6.0	+0.6	+0.3	-0.1	+3.5	+0.34	+24	\$263	\$216	\$342	\$252
8	CRO23U223	+4.8	+2.0	-7.1	+4.1	+53	+97	+135	+109	+0.22	+9.5	+23	+3.7	-6.3	+77	+2.7	+1.8	+3.0	-1.0	+3.8	+0.37	+13	\$220	\$169	\$293	\$210
9	CRO23U218	+3.4	+2.6	-5.4	+5.1	+59	+110	+153	+137	+0.22	+9.4	+21	+3.0	-5.3	+91	+5.9	-0.4	+0.8	+0.0	+2.7	+0.22	+22	\$228	\$180	\$297	\$217
10	CRO23U79	+4.5	+3.9	-3.8	+4.0	+55	+97	+130	+125	+0.33	+8.7	+16	+2.0	-6.3	+77	+7.7	-1.0	-1.2	+1.1	+1.5	+0.21	+17	\$224	\$189	\$282	\$209
11	CRO23U69	+0.4	+4.6	-4.5	+4.9	+58	+106	+136	+99	+0.18	+7.3	+23	+2.3	-4.1	+90	+7.9	-0.5	-0.4	+0.1	+3.1	+0.26	+27	\$234	\$190	\$317	\$219
12	CRO23U115	+4.8	+0.6	-6.7	+4.0	+50	+90	+119	+95	+0.22	+8.6	+20	+2.7	-6.0	+68	+5.7	+0.7	+1.0	-0.3	+3.7	+0.32	+26	\$219	\$174	\$291	\$205
13	CRO23U175	+5.8	+7.0	-4.5	+3.5	+56	+106	+136	+91	+0.13	+7.1	+25	+2.6	-4.1	+88	+6.1	-0.3	+0.0	-0.3	+3.1	+0.28	+21	\$235	\$191	\$316	\$220
14	CRO23U129	+1.4	+1.2	-6.6	+4.5	+55	+99	+131	+115	+0.28	+9.0	+22	+2.6	-5.1	+74	+5.3	+0.9	+1.1	-0.4	+3.3	+0.21	+23	\$209	\$166	\$283	\$194
15	CRO23U7	+3.5	+2.3	-6.3	+3.9	+58	+104	+130	+107	+0.33	+9.8	+17	+3.2	-6.7	+80	+11.7	-0.8	-0.2	+0.8	+3.3	+0.56	+11	\$270	\$228	\$353	\$257
16	CRO23U303	+8.1	+7.6	-5.6	+2.6	+48	+95	+123	+118	+0.46	+7.1	+12	+2.7	-4.2	+64	+4.2	+2.4	+3.4	-0.6	+3.2	+0.33	+26	\$194	\$158	\$260	\$180
17	CRO23U299	+4.4	+4.6	-4.2	+3.5	+53	+97	+127	+120	+0.45	+7.7	+10	+2.7	-6.8	+78	+4.3	+1.3	+3.7	-0.3	+2.8	+0.71	+22	\$228	\$190	\$293	\$215
18	CRO23U8	+0.7	+3.4	-6.0	+3.9	+51	+94	+122	+114	+0.37	+8.0	+15	+2.7	-4.8	+65	+7.6	+1.8	+1.9	+0.2	+1.9	+0.29	+20	\$197	\$163	\$259	\$182
19	CRO23U244	+3.4	+2.8	-6.9	+3.3	+51	+93	+120	+93	+0.25	+8.2	+23	+2.6	-7.0	+69	+5.2	+0.8	+2.1	-0.2	+3.3	+0.44	+17	\$236	\$194	\$310	\$221
20	CRO23U137	+6.3	+3.0	-4.4	+4.4	+59	+107	+140	+113	+0.17	+8.9	+19	+3.5	-6.0	+83	+8.6	-1.0	-1.4	+0.6	+2.3	+0.41	+14	\$247	\$206	\$317	\$234
21	CRO23U134	+1.3	+1.6	-4.3	+4.6	+53	+95	+127	+116	+0.34	+7.7	+14	+3.5	-5.3	+66	+9.1	+1.1	+1.0	+0.5	+2.2	+0.35	+22	\$212	\$173	\$274	\$199
22	CRO23U59	+0.0	+3.1	-2.7	+3.3	+50	+90	+120	+104	+0.30	+7.1	+15	+2.8	-3.6	+61	+7.4	+1.1	+1.4	+0.1	+2.5	+0.31	+22	\$188	\$148	\$253	\$172
23	CRO23U140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	CRO23U148	+2.7	+1.5	-3.7	+4.5	+57	+99	+125	+104	+0.27	+7.8	+19	+3.4	-3.9	+65	+1.6	-1.2	-1.7	-0.3	+2.2	+0.03	+17	\$186	\$156	\$250	\$166
25	CRO23U128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	CRO23U99	+4.7	+2.2	-2.9	+4.3	+55	+98	+125	+97	+0.18	+8.8	+19	+3.1	-5.8	+74	+9.9	-0.2	-0.1	+0.7	+2.3	+0.37	+12	\$243	\$203	\$315	\$228
27	CRO23U478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	CRO23U123	+5.1	+4.4	-3.1	+2.9	+50	+91	+113	+90	+0.26	+9.9	+17	+2.5	-6.4	+67	+9.4	-0.1	+0.5	+0.5	+3.8	+0.66	+12	\$247	\$207	\$326	\$233
29	CRO23U232	+2.1	+3.0	-2.4	+3.0	+47	+88	+116	+98	+0.32	+7.3	+16	+3.3	-5.3	+63	+9.5	+1.8	+3.2	+0.4	+2.5	+0.40	+14	\$216	\$175	\$282	\$204
30	CRO23U126	+1.7	+0.2	-3.6	+3.9	+54	+94	+114	+91	+0.38	+7.7	+19	+2.9	-4.6	+64	+2.8	+0.4	-0.2	-0.4	+2.6	+0.24	+22	\$194	\$164	\$264	\$173

CEDir	CEDirs	GL	BWT	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFLF	Doc	\$A	\$D	\$GN	\$GS
+2.2	+3.0	-4.5	-3.9	+52	+93	+120	+102	+0.27	+8.1	+17	+2.2	-4.8	+66	+6.5	+0.0	-0.2	+0.4	+2.5	+0.23	+21	+205	+169	+270	+188

Jarabee Angus Helmsman Spring Sale																									
Animal	Calving Ease		Birth		Growth			Maternal			Fertility			Carcase				Feed		Indexes					
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	\$A	\$D	\$GN	\$GS
31 CRO23U421	+1.7	+1.6	-5.6	+3.7	+53	+99	+130	+108	+0.41	+6.9	+16	+2.9	-4.6	+70	+8.4	+1.1	+2.1	+0.5	+2.0	+0.58	+27	\$220	\$181	\$287	\$206
32 CRO23U85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33 CRO23U127	+1.4	+0.5	-3.2	+3.9	+48	+85	+104	+76	+0.33	+7.1	+19	+3.4	-4.1	+52	+3.5	+0.5	+1.0	-0.1	+2.1	+0.19	+20	\$182	\$153	\$245	\$163
34 CRO23U213	+5.5	+7.2	-5.7	+3.1	+52	+98	+122	+80	+0.16	+7.6	+22	+2.3	-5.6	+78	+9.6	+0.2	+0.2	+0.1	+3.9	+0.34	+26	\$256	\$211	\$344	\$243
35 CRO23U236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 CRO23U152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 CRO23U426	+6.6	+3.4	-5.3	+3.7	+51	+94	+125	+118	+0.40	+7.1	+14	+1.4	-5.4	+76	+6.4	-0.2	+0.3	+0.4	+2.9	+0.23	+25	\$215	\$175	\$279	\$199
38 CRO23U101	-1.8	-1.4	-2.1	+4.6	+45	+83	+110	+102	+0.33	+7.2	+14	+2.6	-4.1	+56	+8.5	-0.2	+0.0	+0.9	+1.9	+0.20	+20	\$172	\$140	\$224	\$158
<div>TACETACE Transboundary Animal Health Evaluation</div>																									
CEDir	CEDtrs	GL	BWT	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	\$A	\$D	\$GN	\$GS	
+2.2	+3.0	-4.5	-3.9	+52	+93	+120	+102	+0.27	+8.1	+17	+2.2	-4.8	+66	+6.5	+0.0	-0.2	+0.4	+2.5	+0.23	+21	+205	+169	+270	+188	

Beefclass Structural Assessment



How to use:

The Beef Class Structural Assessment System uses a 1-9 scoring system for feet and leg structure:

- A score of 5 is ideal.
- 4 and 6 show slight variation from ideal, but this includes most animals. Any animal scoring 4 and 6 would be acceptable in any breeding program.
- 3 and 7 show greater variation, but would be acceptable in most commercial breeding programs, however seedstock producers should be wary.
- 2 and 8 are low scoring animals and should be looked at carefully before purchasing.

A 1-5 scoring system is used for sheath attachment. For feet and leg assessment, animals need to be on a hard, flat and even surface where the animal can move/ stand naturally.

Traits:

	Scoring Range	Description
Front Feet Claw Set	1-9	1 - Open Divergent; 5- Good; 9- Extreme Scissor Claw
Rear Feet Claw Set	1-9	1 - Open Divergent; 5- Good; 9- Extreme Scissor Claw



Reference: Shape (primarily curl) and evenness of the claw set.

	Scoring Range	Description
Front Feet Angle	1-9	1 - Steep (Stubbed Toe); 5: Good; 9-Shallow Heel
Rear Feet Angle	1-9	1 - Steep (Stubbed Toe); 5: Good; 9-Shallow Heel



Reference: Strength of pastern, depth of heel and length of foot.

Rear Legs Side View	1-9	1 - Straight (Post Legged); 5 - Good; 9 - Sickie Hocked
----------------------------	-----	---




Reference: Angle measured at the front of the hock.



Rear Leg Hind View

1-9

1 - Bow Legged; 5 - Good (Parallel); 9 - Cow Hocked



Reference: Direction of the feet when viewed from the rear.

Muscle Score:

A-E (Includes + and -)


- A+ = Double - muscled
- A = Extremely heavy muscle
 - pronounced creasing between muscles
- B = Heavily muscled
 - well rounded hindquarter
- C = Average muscle
 - hindquarter slightly rounded
- D = Poor muscle
 - narrow concave hindquarter
- E = Extremely poor muscle
 - angular

Reference: Primarily hindquarter roundness or convexity, width across the stifle and width of stance. Also width and muscle expression across the back, particularly behind the shoulder and in the loin. Jump muscle (about the P8 site) and forearm bulge may be taken into consideration.

Sheath and Navel Scores

5-1

5 - Extremely Clean/ Tight to Body; 1 - Extremely Pendulous



Reference: Sheath attachment

Temperament:

Reference: 1-5 (half scores permitted) using yard test scale below:

- 1. Docile:** The animal is easily held in the corner and the handler can get close enough to put their stick on the animal.
- 2. Restless:** The animal can be held in the corner but exhibits some restlessness and flicking of the tail. The handler cannot get close enough to put their stick on the animal before it moves away.
- 3. Nervous:** The animal is not easily held in the corner even when the handler is some distance back from the animal., continual movement and tail flicking. .
- 4. Flighty (wild):** The animal cannot be held in the corner, frantically runs the fence line and may jump when penned individually, exhibits long flight distance.
- 5. Aggressive:** Similar behaviour to score 4 but is also aggressive towards the handler, stares at the handler and threatens to charge or charges (handler us advised to exit the yard before the animal actually charges).



LOTS



Lot 1.
JAROBEE QUINELLA U189



Lot 3.
JAROBEE QUARTERBACK U226




Lot 6.
JAROBEE QUINELLA U22



Lot 9.
JAROBEE QUARTERBACK U223



Lot 15.
JAROBEE QUADRANT U7



Lot 20.
JAROBEE QUADRANT U137



Lot 23.
JAROBEE U140

JAROBEE
• ANGUS •

Lot 1

JAROBEE QUINELLA U189 # (HBR)

CR023U189

DOB: 1/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY IN SURE 8524#

AYRVALE GENERAL G18^{PV}

G A R FAIL SAFE^{PV}

ESSLEMONT LOTTO L3^{PV}

G A R PROGRESS 830#

ESSLEMONT JENNY J8^{PV}

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

DAM: CROQ382 JAROBEE LOTTO Q382#

EF COMPLEMENT 8088^{PV}

LAWSON'S NOVAK E313^{SV}

MOOGENILLA N9^{SV}

JAROBEE NOVAK L166#

MOOGENILLA L4#

JAROBEE NEW FRONTIER Z77#

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																							
	Calving Ease				Growth								Fertility		Carcase								Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc			
EBVs	+1.0	+5.9	-5.8	+4.6	+62	+114	+150	+110	+0.26	+7.7	+22	+3.2	-5.1	+96	+9.8	-0.9	-0.1	+0.1	+4.2	+0.38	+25			
Acc	61%	53%	82%	73%	71%	68%	73%	69%	49%	50%	63%	67%	43%	63%	63%	65%	65%	59%	67%	61%	66%			
Perc	66	24	30	65	12	7	6	37	52	60	15	17	40	3	16	70	47	65	13	66	34			
Selection Indexes					Raw Structural Assessments - 21/07/2025																			
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$270	3	\$216	6	\$364	2	\$261	3	5	5	6	6	5	5	7	5	106	6.2	808 kg	1	38 cms				

Notes: Thick and carries tremendous depth of rib. Packs meat where it counts. Deep loin ,thick top and expressive quarters.

Purchaser:..... \$

Lot 2

JAROBEE QUARTERBACK U155 # (HBR)

CR023U155

DOB: 26/5/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

G A R MOMENTUM^{PV}

KAROO W109 DIRECTION Z181^{SV}

LAWSON'S MOMENTOUS M518^{PV}

CARABAR DOCKLANDS D62^{PV}

LAWSON'S AFRICA H229^{SV}

CARABAR BLACKCAP MARY B12^{PV}

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CROM2 JAROBEE DOCKLANDIII M2#

CARABAR DOCKLANDS D62^{PV}

TE MANIA BERKLEY B1^{PV}

MURDEDUKE BARUNAH N026^{PV}

JAROBEE BERKLEY G66#

MURDEDUKE K304^{SV}

JAROBEE STOCKBY W21#

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																						
	Calving Ease				Growth								Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc		
EBVs	+5.7	+3.3	-8.0	+3.9	+52	+96	+133	+113	+0.3	+9.9	+21	+3.4	-6.2	+76	+5.3	+0.6	+0.9	-0.2	+3.5	+0.31	+13		
Acc	79%	74%	92%	89%	86%	85%	87%	85%	73%	75%	81%	84%	63%	81%	79%	80%	80%	76%	80%	73%	82%		
Perc	24	52	8	50	50	40	24	31	48	19	22	14	20	30	64	37	31	82	25	58	77		
Selection Indexes					Raw Structural Assessments - 21/07/2025																		
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal			
-	-	-	-	-	-	-	-	5	5	6	7	7	7	4	3	83	4.5	786 kg	1	40 cms			

Notes: Slick skinned ,Smooth shouldered Quarterback son with a thick topline .

Purchaser:..... \$

Lot 3

JAROBEE QUARTERBACK U226 # (HBR)

CR023U226

DOB: 4/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

H P C A INTENSITY#

LAWSON'S MOMENTOUS M518^{PV}

RENNYLEA L519^{PV}

LAWSON'S AFRICA H229^{SV}

RENNYLEA H414^{SV}

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CROQ81 JAROBEE L519 Q81#

CARABAR DOCKLANDS D62^{PV}

CARABAR DOCKLANDS D62^{PV}

MURDEDUKE BARUNAH N026^{PV}

JAROBEE DOCKLANDIII M2#

MURDEDUKE K304^{SV}

JAROBEE BERKLEY G66#

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																						
	Calving Ease				Growth								Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc		
	EBVs	+4.4	+3.5	-6.4	+4.7	+59	+110	+154	+137	+0.33	+9.8	+21	+3.3	-6.1	+89	+6.0	+0.9	+1.3	-0.5	+4.4	+0.40	+19	
Acc	64%	59%	82%	73%	71%	69%	73%	69%	52%	53%	65%	67%	48%	64%	64%	65%	65%	60%	67%	60%	66%		
Perc	35	50	22	67	19	12	4	9	33	22	24	15	21	8	55	30	25	89	11	68	56		
Selection Indexes					Raw Structural Assessments - 21/07/2025																		
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal			
\$245	12	\$190	25	\$325	12	\$238	9							4	3	87	5.8	778 kg	1	39 cms			

Notes: A Quarterback son out of a 519 Dam . A very solid muscular frame. Loaded with meat .

Purchaser:..... \$

Lot 4

JAROBEE QUADRANT U20 # (HBR)

CR023U20

DOB: 2/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}

G A R PHOENIX^{PV}

G A R PROPHET N744[#]

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

WITHERSWOOD PERFORMER E49^{PV}

CHILTERN PARK L198^{SV}

ABERDEEN ESTATE WILCOOLA H140^{SV}

PRIME KATAPALT K1^{SV}

PRIME KATAPALT M9^{SV}

PRIME SHASTA K36[#]

DAM: CROP274 JAROBEE KATAPALT P274[#]

B T ULTRAVOX 297E[#]

JAROBEE ULTRAVOX Z9[#]

JAROBEE KRUGER MAXINE V10[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc	
	EBVs	+5.0	+2.0	-4.6	+4.7	+6.1	+110	+148	+125	+0.23	+9.5	+16	+3.5	-5.3	+86	+8.1	-1.1	-1.3	+0.3	+2.9	+0.56	+11
	Acc	56%	48%	82%	73%	67%	67%	72%	64%	41%	43%	56%	60%	39%	61%	60%	61%	62%	54%	64%	55%	58%
	Perc	30	65	48	67	14	11	8	18	60	25	55	12	36	11	30	74	68	53	37	82	85
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R				Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$241	15	\$196	19	\$313	19	\$230	13	5	5	6	6	5	5	8	6	108	6.9	774 kg	1	40 cms		

Notes: A soft Bull , with great thickness.

Purchaser:.....\$.....

Lot 5

JAROBEE QUINELLA U162 # (HBR)

CR023U162

DOB: 2/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNELLY IN SURE 8524[#]

G A R FAIL SAFE^{PV}

G A R PROGRESS 830[#]

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

EF COMPLEMENT 8088^{PV}

MOOGENILLA N9^{SV}

MOOGENILLA L4[#]

KAROO W109 DIRECTION Z181^{SV}

CARABAR DOCKLANDS D62^{PV}

CARABAR BLACKCAP MARY B12^{PV}

DAM: CROM15 JAROBEE DOCKLAND M15[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H163[#]

JAROBEE YELLOWSTONE A64[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc	
	EBVs	+2.7	+5.1	-6.1	+4.6	+57	+106	+140	+95	+0.17	+7.9	+23	+2.9	-4.5	+91	+9.7	-0.8	-0.2	+0.3	+3.5	+0.41	+18
	Acc	61%	54%	83%	73%	70%	68%	73%	68%	49%	50%	63%	66%	44%	63%	63%	64%	64%	58%	66%	61%	65%
	Perc	51	32	26	65	28	17	15	61	75	56	14	24	55	6	17	68	49	53	24	69	61
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R				Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$254	8	\$204	13	\$339	7	\$243	7	5	5	6	6	5	5	9	7	105	6.6	776 kg	1	38 cms		

Notes: A thick muscular frame with a deep well balanced body .

Purchaser:.....\$.....

Lot 6

JAROBEE QUINELLA U22 # (HBR)

CR023U22

DOB: 25/2/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT(x2),Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNELLY IN SURE 8524[#]

G A R FAIL SAFE^{PV}

G A R PROGRESS 830[#]

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

EF COMPLEMENT 8088^{PV}

MOOGENILLA N9^{SV}

MOOGENILLA L4[#]

TE MANIA FOE F734^{SV}

GRANITE RIDGE KAISER K26^{SV}

GRANITE RIDGE SUPREME F158^{SV}

DAM: CROP317 JAROBEE KAISER P317[#]

TE MANIA BERKLEY B1^{PV}

JAROBEE BERKLEY H113[#]

JAROBEE BANDO1961 C106[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc	
	EBVs	+5.0	+7.0	-5.4	+3.5	+50	+93	+117	+82	+0.15	+7.6	+24	+2.3	-5.9	+75	+5.7	+0.0	+0.3	-0.2	+3.6	+0.20	+25
	Acc	60%	51%	83%	74%	70%	69%	74%	68%	48%	49%	63%	66%	41%	62%	62%	63%	63%	57%	65%	59%	65%
	Perc	30	14	35	40	59	50	57	80	79	62	11	44	24	32	59	49	41	79	23	46	31
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R				Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$233	22	\$192	22	\$310	21	\$218	22	5	5	6	6	5	5	7	5	108	6.4	776 kg	1	39 cms		

Notes: Another very thick bull with structural correctness .

Purchaser:.....\$.....

Lot 7

JAROBEE TRAILBLAZER U90 # (HBR)

CRO23U90

DOB: 5/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

A A R TEN X 7008 S A^{SV}

TUWHARETOA REGENT D145^{PV}

V A R DISCOVERY 2240^{PV}

PARINGA JUDD J5^{PV}

DEER VALLEY RITA 0308[#]

STRATHEWEN BERKLEY WILPENA F30^{PV}

SIRE: USA18996007 FERGUSON TRAILBLAZER 239E^{SV}

DAM: CROM19 JAROBEE JUDD M19[#]

LD EMBLAZON 999^{PV}

AYRVALE BARTEL E7^{PV}

MOLITOR999 BARBELLA 940-3012[#]

JAROBEE BARTEL K119[#]

MOLITOR FA BARBELLA 389-940[#]

JAROBEE BERKLEY H113[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+5.9	+5.9	-6.1	+3.1	+62	+116	+155	+140	+0.28	+7.5	+19	+2.4	-7.1	+92	+6.0	+0.6	+0.3	-0.1	+3.5	+0.34	
Acc	58%	50%	83%	73%	69%	68%	73%	66%	43%	46%	61%	65%	41%	61%	61%	62%	61%	56%	64%	53%		
Perc	22	24	26	31	10	6	4	8	46	64	38	40	9	5	55	36	41	75	24	62		

Selection Indexes								Raw Structural Assessments - 21/07/2025													
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$263	5	\$216	6	\$342	7	\$252	4	5	5	6	6	5	5	8	5	97	7.4	748 kg	1	36 cms	

Notes: A Trailblazer son out of a Judd Dam , is in the top 5% for 400 & 600 Day Growth with Positive Fats .

Purchaser:..... \$.....

Lot 8

JAROBEE QUARTERBACK U223 # (HBR)

CRO23U223

DOB: 25/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

KAROO W109 DIRECTION Z181^{PV}

LAWSONS MOMENTOUS M518^{PV}

CARABAR DOCKLANDS D62^{PV}

LAWSONS AFRICA H229^{SV}

CARABAR BLACKCAP MARY B12^{PV}

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CROM153 JAROBEE DOCKLAND M153[#]

CARABAR DOCKLANDS D62^{PV}

H S A F BANDO 1961[#]

MURDEDUKE BARUNAH N026^{PV}

JAROBEE BANJ01961 C124[#]

MURDEDUKE K304^{SV}

JAROBEE NEW DESIGN 036 A59[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+4.8	+2.0	-7.1	+4.1	+53	+97	+135	+109	+0.22	+9.5	+23	+3.7	-6.3	+77	+2.7	+1.8	+3.0	-1.0	+3.8	+0.37	+13
Acc	65%	59%	84%	72%	71%	69%	75%	70%	52%	53%	65%	68%	47%	65%	64%	65%	65%	60%	67%	59%	66%	
Perc	32	65	15	54	41	38	21	38	63	26	15	9	18	28	88	16	9	97	19	65	78	

Selection Indexes								Raw Structural Assessments - 21/07/2025													
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$220	35	\$169	52	\$293	33	\$210	29	5	5	6	6	5	6	9	6	100	7.8	744 kg	1	37 cms	

Notes: U223 is a very solid quarterback son moderate birthweight , calving ease, &positive fats.

Purchaser:..... \$.....

Lot 9

JAROBEE QUARTERBACK U218 # (HBR)

CRO23U218

DOB: 3/6/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

CONNEALY REFLECTION[#]

LAWSONS MOMENTOUS M518^{PV}

JINDRA DOUBLE VISION^{PV}

LAWSONS AFRICA H229^{SV}

HOFF RACHEL 8312 405[#]

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CROM190 JAROBEE DOUBLE VISION M190[#]

CARABAR DOCKLANDS D62^{PV}

ARDROSSAN EQUATOR A241^{PV}

MURDEDUKE BARUNAH N026^{PV}

JAROBEE EQUATOR D120[#]

MURDEDUKE K304^{SV}

JAROBEE S.S.TRAVELER T 510 Z24[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+3.4	+2.6	-5.4	+5.1	+59	+110	+153	+137	+0.22	+9.4	+21	+3.0	-5.3	+91	+5.9	-0.4	+0.8	+0.0	+2.7	+0.22	+22
Acc	63%	57%	83%	71%	70%	68%	73%	68%	52%	53%	64%	66%	45%	63%	62%	64%	64%	58%	66%	58%	65%	
Perc	45	59	35	75	19	11	4	9	63	28	20	22	36	6	56	59	32	70	41	49	46	

Selection Indexes								Raw Structural Assessments - 21/07/2025													
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$228	27	\$180	37	\$297	30	\$217	23	5	5	6	6	5	5	6	4	101	5.1	742 kg	1	37 cms	

Notes: A very thick Quarterback son with strong phenotype and carcass.

Purchaser:..... \$.....

Lot 10

JAROBEE UNCLE U79 # (HBR)

CRO23U79

DOB: 5/8/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN FRANCHISE P142[#]

EF COMPLEMENT 8088^{PV}

EF EVERELDA ENTENSE 6117[#]

SIRE: HIOP5 AYRVALE PRECISION P5^{PV}

STRATHEWEN REGENT E23 H70^{PV}

AYRVALE LADY DI L39^{PV}

AYRVALE GLORIA G13^{PV}

H P C A INTENSITY[#]

RENNYLEA L519^{PV}

RENNYLEA H414^{SV}

DAM: CROP14 JAROBEE L519 P14[#]

TE MANIA BERKLEY B1^{PV}

JAROBEE BERKLEY G66[#]

JAROBEE STOCKBY W21[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+4.5	+3.9	-3.8	+4.0	+55	+97	+130	+125	+0.33	+8.7	+16	+2.0	-6.3	+77	+7.7	-1.0	-1.2	+1.1	+1.5	+0.21	+17
Acc	57%	52%	82%	72%	68%	66%	72%	66%	46%	47%	59%	63%	43%	59%	59%	61%	61%	55%	63%	55%	60%	
Perc	35	45	61	51	36	38	29	18	33	40	59	55	18	26	35	72	67	13	71	48	65	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal						
\$224	31	\$189	27	\$282	43	\$209	30	5	5	6	6	7	7	3	2	63	3.5	724 kg	1	35 cms		

Notes: Square topline with muscle in hindquarters.

Purchaser:.....\$.....

Lot 11

JAROBEE QUINELLA U69 # (HBR)

CRO23U69

DOB: 10/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY IN SURE 8524[#]

G A R FAIL SAFE^{PV}

G A R PROGRESS 830[#]

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

EF COMPLEMENT 8088^{PV}

MOOGENILLA N9^{SV}

MOOGENILLA L4[#]

MOGCK BULLSEYE^{PV}

BRUNS BLASTER^{PV}

BALDRIDGE BLACKBIRD 11 BAF[#]

DAM: CROQ3 JAROBEE BLASTER Q3[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H459[#]

JAROBEE NEW FRONTIER Z78[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+0.4	+4.6	-4.5	+4.9	+58	+106	+136	+99	+0.18	+7.3	+23	+2.3	-4.1	+90	+7.9	-0.5	-0.4	+0.1	+3.1	+0.26	+27
Acc	60%	51%	83%	73%	70%	68%	73%	68%	48%	48%	63%	66%	40%	62%	62%	63%	63%	57%	65%	59%	65%	
Perc	70	38	50	71	23	18	20	55	73	66	13	44	64	7	32	61	53	65	32	53	25	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal						
\$234	21	\$190	25	\$317	17	\$219	21	5	5	6	6	6	6	3	3	69	3.8	722 kg	1	36 cms		

Notes: A Quiniella son out of a Blaster dam, with a thick frame and smooth shoulders.

Purchaser:.....\$.....

Lot 12

JAROBEE QUARTERBACK U115 # (HBR)

CRO23U115

DOB: 2/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

LAWSONS MOMENTOUS M518^{PV}

LAWSONS AFRICA H229^{SV}

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

CARABAR DOCKLANDS D62^{PV}

MURDEDUKE BARUNAH N026^{PV}

MURDEDUKE K304^{SV}

TE MANIA FOE F734^{SV}

GRANITE RIDGE KAISER K26^{SV}

GRANITE RIDGE SUPREME F158^{SV}

DAM: CROQ46 JAROBEE KAISER Q46[#]

LAWSONS INVINCIBLE C402^{PV}

JAROBEE INVINCIBLE H88[#]

JAROBEE NEW FRONTIER Z21[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+4.8	+0.6	-6.7	+4.0	+50	+90	+119	+95	+0.22	+8.6	+20	+2.7	-6.0	+68	+5.7	+0.7	+1.0	-0.3	+3.7	+0.32	+26
Acc	62%	56%	82%	73%	70%	68%	73%	68%	50%	52%	64%	66%	44%	63%	63%	64%	64%	58%	66%	57%	65%	
Perc	32	76	19	51	60	62	53	61	63	42	29	30	23	52	59	34	29	83	21	60	29	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal						
\$219	36	\$174	45	\$291	35	\$205	34	5	5	6	7	5	6	3	2	68	4.1	714 kg	1	38 cms		

Notes: A very deep and solid bull with loads of muscle.

Purchaser:.....\$.....

Lot 13

JAROBEE QUINELLA U175 # (HBR)

CR023U175

DOB: 11/2/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY IN SURE 8524#

SITZ UPWARD 307R^{SV}

G A R FAIL SAFE^{PV}

THOMAS UP RIVER 1614^{PV}

G A R PROGRESS 830#

THOMAS CAROL 7595#

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

DAM: CRON237 JAROBEE UP RIVER N237#

EF COMPLEMENT 8088^{PV}

TE MANIA BERKLEY B1^{PV}

MOOGENILLA N9^{SV}

JAROBEE BERKLEY F108#

MOOGENILLA L4#

JAROBEE S.S.TRAVELER T 510 Z24#

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+5.8	+7.0	-4.5	+3.5	+56	+106	+136	+91	+0.13	+7.1	+25	+2.6	-4.1	+88	+6.1	-0.3	+0.0	-0.3	+3.1	+0.28	+21	
Acc	61%	53%	83%	73%	70%	68%	73%	68%	50%	50%	63%	66%	43%	63%	63%	64%	64%	58%	66%	61%	65%	
Perc	23	14	50	40	31	17	20	68	83	71	7	33	64	9	54	56	46	83	32	55	46	

Selection Indexes				Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$235	20	\$191	24	\$316	17	\$220	20	5	5	5	6	5	5	4	3	94	4.1	714 kg	1	40 cms	

Notes: This bull is out of an Up River dam, has positive calving ease and super growth.

Purchaser:..... \$.....

Lot 14

JAROBEE QUARTERBACK U129 # (HBR)

CR023U129

DOB: 1/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

MOGCK BULLSEYE^{PV}

LAWSONS MOMENTOUS M518^{PV}

BRUNS BLASTER^{PV}

LAWSONS AFRICA H229^{SV}

BALDRIDGE BLACKBIRD 11 BAF#

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CRON48 JAROBEE BLASTER N48#

CARABAR DOCKLANDS D62^{PV}


LAWSONS NOVAK E313^{SV}

MURDEDUKE BARUNAH N026^{PV}

JAROBEE NOVAK L57#

MURDEDUKE K304^{SV}

JAROBEE ULTRAVOX D24#

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+1.4	+1.2	-6.6	+4.5	+55	+99	+131	+115	+0.28	+9.0	+22	+2.6	-5.1	+74	+5.3	+0.9	+1.1	-0.4	+3.3	+0.21	+23	
Acc	63%	56%	83%	73%	70%	68%	73%	68%	50%	52%	64%	66%	43%	63%	62%	64%	64%	58%	66%	57%	65%	
Perc	63	72	20	63	33	33	28	31	46	34	17	33	40	34	64	30	28	86	28	48	40	

Selection Indexes				Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$209	47	\$166	56	\$283	42	\$194	46	5	5	6	7	6	6	4	3	77	3.1	714 kg	1	38 cms	

Notes: This Quarterback son will add volume to the progeny of any cow herd.

Purchaser:..... \$.....

Lot 15

JAROBEE QUADRANT U7 # (HBR)

CR023U7

DOB: 12/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}

AYRVALE GENERAL G18^{PV}

G A R PHOENIX^{PV}

ESSLEMONT LOTTO L3^{PV}

G A R PROPHET N744#

ESSLEMONT JENNY J8^{PV}

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

DAM: CROQ41 JAROBEE LOTTO Q41#

WITHERSWOOD PERFORMER E49^{PV}

LAWSONS NOVAK E313^{SV}

CHILTERN PARK L198^{SV}

JAROBEE NOVAK L21#

ABERDEEN ESTATE WILCOOLA H140^{SV}

JAROBEE ULTRAVOX Z16#

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+3.5	+2.3	-6.3	+3.9	+58	+104	+130	+107	+0.33	+9.8	+17	+3.2	-6.7	+80	+11.7	-0.8	-0.2	+0.8	+3.3	+0.56	+11	
Acc	59%	52%	82%	73%	69%	67%	72%	66%	44%	46%	59%	63%	43%	63%	63%	64%	65%	57%	67%	58%	62%	
Perc	44	62	23	49	23	22	29	42	33	22	48	17	13	21	7	68	49	25	28	82	86	

Selection Indexes				Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS	F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$270	3	\$228	3	\$353	4	\$257	3	5	5	6	6	6	6	5	4	83	5.6	700 kg	1	38 cms	

Notes: U7 has super growth, calving ease as well as indexes for profitability.

Purchaser:..... \$.....

Lot 16

JAROBEE RECHARGE U303 # (HBR)

CR023U303

DOB: 21/9/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,SC,Scan(Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

H P C A INTENSITY#

SCHURRTOP REALITY X723#

RENNYLEA L519^{PV}

MATAURI REALITY 839#

RENNYLEA H414^{SV}

MATAURI 06663#

SIRE: BHRR102 DUNOON RECHARGE R102^{PV}

DAM: CWJN0005 WITHERSWOOD DREAM N0005#

DUNOON HACKING H061^{PV}







HINGAIA 469#

DUNOON ELINE M459^{SV}

BANQUET DREAM Y259^{SV}

DUNOON ELINE K595#

BANQUET KIWI DREAM+92#

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																						
	Calving Ease				Growth								Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc		
	EBVs	+8.1	+7.6	-5.6	+2.6	+48	+95	+123	+118	+0.46	+71	+12	+2.7	-4.2	+64	+4.2	+2.4	+3.4	-0.6	+3.2	+0.33	+26	
Acc	64%	54%	82%	70%	72%	70%	70%	68%	47%	48%	61%	73%	45%	62%	62%	63%	63%	58%	66%	56%	67%		
Perc	8	10	33	22	67	46	45	26	10	70	87	30	62	63	76	9	7	91	30	61	28		
Selection Indexes					Raw Structural Assessments - 21/07/2025																		
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal			
\$194	65	\$158	67	\$260	62	\$180	62							Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal			
5	65	5	67	6	62	6	62	5	5	6	6	5	5	5	4	95	5.8	704 kg	1	39 cms			

Notes: A solid Recharge son, with dept and soft muscle a super meet machine.

Purchaser:.....\$.....

Lot 17

JAROBEE RECHARGE U299 # (HBR)

CR023U299

DOB: 21/9/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,SC,Scan(Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

H P C A INTENSITY#

ARDROSSAN EQUATOR A241^{PV}

RENNYLEA L519^{PV}

BOOROOMOOKA INSPIRED E124^{PV}

RENNYLEA H414^{SV}

BOOROOMOOKA SIGNAL B325^{SV}

SIRE: BHRR102 DUNOON RECHARGE R102^{PV}

DAM: CROL342 JAROBEE INSPIRED L342#

DUNOON HACKING H061^{PV}













S A F MILLCREEK CHARISMA#

DUNOON ELINE M459^{SV}

JAROBEE CHARISMA Y29#

DUNOON ELINE K595#

JAROBEE WILDON V7#

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+4.4	+4.6	-4.2	+3.5	+53	+97	+127	+120	+0.45	+7.7	+10	+2.7	-6.8	+78	+4.3	+1.3	+3.7	-0.3	+2.8	+0.71	+22
Acc	61%	51%	82%	73%	69%	67%	70%	65%	46%	47%	58%	73%	41%	59%	60%	61%	61%	55%	63%	53%	64%	
Perc	35	38	55	40	46	38	36	23	11	60	93	30	12	24	75	23	5	83	39	90	42	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$228	27	\$190	25	\$293	33	\$215	24							5	4	104	4.6	704 kg	1	41 cms		

Notes: A Recharge son with low birth weight and positive calving ease

Purchaser:.....\$.....

Lot 18

JAROBEE SNIPER U8 # (HBR)

CR023U8

DOB: 11/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN PAYWEIGHT 1682^{PV}

MOGCK BULLSEYE^{PV}

POSS MAVERICK^{PV}

BRUNS BLASTER^{PV}

POSS PRIDE 5163#

BALDRIDGE BLACKBIRD 11 BAF#

SIRE: DXT21591 TEXAS SNIPER S91^{PV}

DAM: CROQ21 JAROBEE BLASTER Q21#

BANGADANG WESTERN EXPRESS E10^{SV}







TE MANIA BERKLEY B1^{PV}

TEXAS UNDINE H647^{PV}

JAROBEE BERKLEY H234#

TEXAS UNDINE Z183^{PV}

JAROBEE 24J D78#

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+0.7	+3.4	-6.0	+3.9	+51	+94	+122	+114	+0.37	+8.0	+15	+2.7	-4.8	+65	+7.6	+1.8	+1.9	+0.2	+1.9	+0.29	+20	
Acc	55%	46%	82%	71%	67%	65%	71%	64%	38%	40%	58%	62%	36%	58%	57%	59%	59%	52%	61%	50%	59%	
Perc	68	51	27	49	51	48	46	31	24	54	69	30	48	61	36	16	18	59	61	56	54	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$197	61	\$163	61	\$259	62	\$182	60	6	5	6	6	6	6	3	3	65	4.9	698 kg	1	34 cms		

Notes: The combination of Texas Sniper and his Blaster dam, stand out in the solidness of this bull.

Purchaser:.....\$.....

Lot 19

JAROBEE QUARTERBACK U244 # (HBR)

CR023U244

DOB: 30/4/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R MOMENTUM^{PV}

EF COMPLEMENT 8088^{PV}

LAWSON'S MOMENTOUS M518^{PV}

BOOROOMOOKA LAS VEGAS L195^{SV}

LAWSON'S AFRICA H229^{SV}

BOOROOMOOKA WINESKIN J73[#]

SIRE: CSWQ011 MURDEDUKE QUARTERBACK Q011^{PV}

DAM: CROP134 JAROBEE LAS VEGAS P134[#]

CARABAR DOCKLANDS D62^{PV}


AYRVALE BARTEL E7^{PV}

MURDEDUKE BARUNAH N026^{PV}

JAROBEE BARTEL K136[#]

MURDEDUKE K304^{SV}

JAROBEE ULTRAVOX Z31[#]

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+3.4	+2.8	-6.9	+3.3	+51	+93	+120	+93	+0.25	+8.2	+23	+2.6	-7.0	+69	+5.2	+0.8	+2.1	-0.2	+3.3	+0.44	+17	
Acc	62%	56%	82%	72%	69%	67%	72%	68%	52%	53%	63%	65%	44%	62%	62%	63%	63%	57%	65%	57%	64%	
Perc	45	57	17	35	53	50	51	65	54	50	13	33	10	50	65	32	16	79	28	72	65	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
\$236	20	\$194	21	\$310	21	\$221	19							3	3	56	4.5	698 kg	1	34 cms

Notes: Positive calving ease and fats. This bull is packed with meat and smooth skin.

Purchaser:.....\$.....

Lot 20

JAROBEE QUADRANT U137 # (HBR)

CR023U137

DOB: 23/8/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,SC,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}

TE MANIA FOE F734^{SV}

G A R PHOENIX^{PV}

GRANITE RIDGE KAISER K26^{SV}

G A R PROPHET N744[#]

GRANITE RIDGE SUPREME F158^{SV}

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

DAM: CRON10 JAROBEE KAISER TWO N10[#]

WITHERSWOOD PERFORMER E49^{PV}


CONNEALY RIGHT ANSWER 746[#]

CHILTERN PARK L198^{SV}

JAROBEE RIGHT ANSWER J135[#]

ABERDEEN ESTATE WILCOOLA H140^{SV}

JAROBEE EQUATOR E111[#]

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+6.3	+3.0	-4.4	+4.4	+59	+107	+140	+113	+0.17	+8.9	+19	+3.5	-6.0	+83	+8.6	-1.0	-1.4	+0.6	+2.3	+0.41	+14	
Acc	57%	49%	82%	73%	69%	68%	73%	67%	41%	44%	59%	71%	40%	63%	62%	63%	64%	56%	66%	56%	62%	
Perc	19	55	51	61	19	16	14	33	75	36	34	12	23	14	26	72	70	35	51	69	76	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
\$247	11	\$206	11	\$317	17	\$234	11							3	2	61	3	688 kg	1	39 cms

Notes: U137 has high growth figures in both 400 and 600 day, along with positive calving ease.

Purchaser:.....\$.....

Lot 21

JAROBEE SNIPER U134 # (HBR)

CR023U134

DOB: 2/9/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,SC,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN PAYWEIGHT 1682^{PV}

TE MANIA FOE F734^{SV}

POSS MAVERICK^{PV}

GRANITE RIDGE KAISER K26^{SV}

POSS PRIDE 5163[#]

GRANITE RIDGE SUPREME F158^{SV}

SIRE: DXT21S91 TEXAS SNIPER S91^{PV}

DAM: CROM240 JAROBEE KAISER M240[#]

BANGADANG WESTERN EXPRESS E10^{SV}


TE MANIA BERKLEY B1^{PV}

TEXAS UNDINE H647^{PV}

JAROBEE BERKLEY H129[#]

TEXAS UNDINE Z183^{PV}

JAROBEE INVINCIBLE F90[#]

	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+1.3	+1.6	-4.3	+4.6	+53	+95	+127	+116	+0.34	+7.7	+14	+3.5	-5.3	+66	+9.1	+1.1	+1.0	+0.5	+2.2	+0.35	+22	
Acc	54%	46%	82%	71%	67%	65%	71%	65%	38%	41%	58%	71%	37%	58%	56%	58%	58%	52%	60%	50%	59%	
Perc	63	68	53	65	45	44	35	29	31	59	74	12	36	58	21	26	29	41	53	63	43	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
\$212	44	\$173	47	\$274	50	\$199	40							3	3	74	4	686 kg	1	41 cms

Notes: Length from his Kaiser dam is very prominent, with added thickness from Texas Sniper

Purchaser:.....\$.....

Lot 22

JAROBEE SNIPER U59 # (HBR)

CR023U59

DOB: 15/8/2023

Mating Type: Natural

Traits Observed: BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN PAYWEIGHT 1682^{PV}

POSS MAVERICK^{PV}

POSS PRIDE 5163[#]

SIRE: DXT21591 TEXAS SNIPER S91^{PV}

BANGDANG WESTERN EXPRESS E10^{SV}

TEXAS UNDINE H647^{PV}

TEXAS UNDINE Z183^{PV}

A A R TEN X 7008 S A^{SV}

44 ENVISION^{PV}

MAURER'S MS PREDESTINED W10[#]

DAM: CROM213 JAROBEE ENVISION M213[#]

TE MANIA BERKLEY B1^{PV}

JAROBEE BERKLEY H112[#]

JAROBEE TC TOTAL; D98[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+0.0	+3.1	-2.7	+3.3	+50	+90	+120	+104	+0.30	+7.1	+15	+2.8	-3.6	+61	+7.4	+1.1	+1.4	+0.1	+2.5	+0.31	+22	
Acc	56%	47%	68%	71%	67%	65%	72%	65%	40%	42%	59%	62%	37%	58%	57%	58%	58%	52%	61%	50%	59%	
Perc	73	54	77	35	56	60	51	46	41	71	68	27	75	72	38	26	24	65	46	59	43	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$188	71	\$148	78	\$253	67	\$172	69	5	5	6	6	6	6	3	3	73	5.3	686 kg	1	36 cms		

Notes: Solid framed, smooth skinned bull

Purchaser:.....\$.....

Lot 23

JAROBEE U140 # (HBR)

CR023U140

DOB: 31/8/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

A A R TEN X 7008 S A^{SV}

V A R DISCOVERY 2240^{PV}

DEER VALLEY RITA 0308[#]

SIRE: TFAN90 LANDFALL NEW GROUND N90^{PV}

MATAURI REALITY 839[#]

LANDFALL ELSA L88^{PV}

LANDFALL ELSA J139[#]

HINGAIA 469[#]

MILLAH MURRAH KINGDOM K35^{PV}

MILLAH MURRAH FLOWER G41^{PV}

DAM: CWJMO162 WITHERSWOOD KERRY M0162[#]

BANQUET XPLANATION X060[#]

WITHERSWOOD KERRY H198[#]

WITHERSWOOD KERRY X045[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+0.9	+1.3	-4.2	+4.9	+50	+97	+128	+114	+0.4	+8.3	+15	+4.3	-4.0	+58	+9.2	+1.4	+1.5	+0.7	+1.4	+0.17	+31	
Acc	80%	75%	92%	89%	87%	87%	87%	86%	74%	74%	83%	85%	65%	83%	81%	82%	82%	79%	82%	73%	83%	
Perc	66	71	55	70	57	39	32	31	14	47	68	4	68	77	20	22	23	34	75	42	14	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
-	-	-	-	-	-	-	-	5	5	6	6	5	6	3	3	73	3.4	682 kg	1	39 cms		

Notes: Carries himself with structural correctness. Deep with strong muscle and a neat head.

Purchaser:.....\$.....

Lot 24

JAROBEE PLANTATION U148 # (HBR)

CR023U148

DOB: 23/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R PROPHET^{SV}

BALDRIDGE BEAST MODE B074^{PV}

BALDRIDGE ISABEL Y69[#]

SIRE: NBHP392 CLUNIE RANGE PLANTATION P392^{SV}

THOMAS UP RIVER 1614^{PV}

CLUNIE RANGE NAOMI M516[#]

CLUNIE RANGE NAOMI H5[#]

BASIN EXPEDITION R156[#]

BASIN EXCITEMENT^{PV}

BASIN LADY S532 AK[#]

DAM: CROL38 JAROBEE EXCITEMENT L38[#]

JAROBEE NEUTRON C21^{SV}

JAROBEE NEUTRON J153[#]

JAROBEE BOTTOMLINE W42[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+2.7	+1.5	-3.7	+4.5	+57	+99	+125	+104	+0.27	+7.8	+19	+3.4	-3.9	+65	+1.6	-1.2	-1.7	-0.3	+2.2	+0.03	+17	
Acc	61%	52%	83%	74%	70%	68%	73%	67%	51%	54%	61%	66%	40%	62%	62%	63%	63%	56%	65%	55%	63%	
Perc	51	69	63	63	25	32	39	47	49	58	35	14	69	60	94	76	74	83	53	29	64	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A	\$D	\$GN	\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal					
\$186	73	\$156	69	\$250	69	\$166	74	5	5	6	6	6	6	2	2	63	2.5	680 kg	1	39 cms		

Notes: Will work well in any cow herd, a solid framed Plantation son.

Purchaser:.....\$.....

Lot 25

JAROBEE QUADRANT U128 # (HBR)

CR023U128

DOB: 22/8/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

G A R SURE FIRE^{SV}

G A R PHOENIX^{PV}

G A R PROPHET N744[#]

A A R TEN X 7008 S A^{SV}

44 ENVISION^{PV}

MAURER'S MS PREDESTINED W10[#]

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

DAM: CROM128 JAROBEE ENVISION M128[#]

WITHERSWOOD PERFORMER E49^{PV}







CHILTERN PARK L198^{SV}

ABERDEEN ESTATE WILCOOLA H140^{SV}

TE MANIA BERKLEY B1^{PV}

JAROBEE BERKLEY G145[#]

JAROBEE S.S.TRAVELER T 510 Z24[#]

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+7.2	+4.8	-4.4	+2.4	+54	+97	+128	+114	+0.2	+8.4	+19	+2.6	-5.2	+75	+9.3	-0.2	+0.1	+0.5	+3.1	+0.52	+31	
Acc	72%	63%	90%	86%	83%	83%	82%	79%	61%	65%	72%	75%	52%	77%	75%	76%	76%	69%	78%	68%	75%	
Perc	13	35	52	18	40	38	40	68	76	45	33	35	39	31	19	53	45	46	33	78	76	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
-	-	-	-	-	-	-	-							Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
-	-	-	-	-	-	-	-	5	5	6	6	7	7	4	3	72	4.2	672 kg	1	37 cms		

Notes: Very square, smooth shouldered bull with a neat head.

Purchaser:.....\$.....

Lot 26

JAROBEE QUADRANT U99 # (HBR)

CR023U99

DOB: 25/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}

G A R PHOENIX^{PV}

G A R PROPHET N744[#]

TE MANIA FOE F734^{SV}

GRANITE RIDGE KAISER K26^{SV}

GRANITE RIDGE SUPREME F158^{SV}

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

DAM: CROQ176 JAROBEE KAISER Q176[#]

WITHERSWOOD PERFORMER E49^{PV}

CHILTERN PARK L198^{SV}

ABERDEEN ESTATE WILCOOLA H140^{SV}

K C F BENNETT PERFORMER[#]

JAROBEE PERFORMER E126[#]

JAROBEE W25[#]

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+4.7	+2.2	-2.9	+4.3	+55	+98	+125	+97	+0.18	+8.8	+19	+3.1	-5.8	+74	+9.9	-0.2	-0.1	+0.7	+2.3	+0.37	+12	
Acc	58%	50%	83%	73%	69%	68%	73%	66%	42%	44%	59%	63%	41%	63%	62%	64%	64%	56%	66%	57%	62%	
Perc	33	63	75	58	36	37	40	59	73	39	33	19	26	35	15	54	47	30	51	65	84	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$243	14	\$203	13	\$315	18	\$228	14							3	3	74	5.7	670 kg	1	36 cms		

Notes: Again the Kaiser dams length and the thickness of Quadrant is a good mix.

Purchaser:.....\$.....

Lot 27

JAROBEE SNIPER U478 # (HBR)

CR023U478

DOB: 16/8/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

BASIN PAYWEIGHT 1682^{PV}

POSS MAVERICK^{PV}

POSS PRIDE 5163[#]

A A R TEN X 7008 S A^{SV}

44 ENVISION^{PV}

MAURER'S MS PREDESTINED W10[#]

SIRE: DXT21S91 TEXAS SNIPER S91^{PV}

DAM: CRON16 JAROBEE ENVISION N16[#]

BANGDANG WESTERN EXPRESS E10^{SV}







TEXAS UNDINE H647^{PV}

TEXAS UNDINE Z183^{PV}

AYRVALE BARTEL E7^{PV}

JAROBEE BARTEL K136[#]

JAROBEE ULTRAVOX Z31[#]

<div>TACE</div> <div>Trans Tasman Angus Cattle Evaluation</div>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	-2.3	+3.3	-2.2	+3.7	+49	+87	+118	+101	+0.3	+6.6	+15	+2.6	-3.7	+59	+7.9	+1.4	+2.0	+0.2	+2.4	+0.34	+22
Acc	66%	56%	86%	80%	78%	76%	78%	75%	61%	64%	69%	73%	46%	69%	67%	69%	69%	64%	70%	58%	70%	
Perc	84	52	83	43	62	67	55	51	43	77	67	35	74	75	32	22	17	64	50	61	42	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
-	-	-	-	-	-	-	-	5	5	6	6	5	6	2	2	71	5.3	668 kg	1	37 cms		

Notes: U478 Envision dam will stamp this bull, with thickness

Purchaser:.....\$.....

Lot 28

JAROBEE QUADRANT U123 # (HBR)

CR023U123

DOB: 19/3/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}

G A R PHOENIX^{PV}

G A R PROPHET N744[#]

SIRE: GTNQ322 CHILTERN PARK QUADRANT Q322^{PV}

WITHERSWOOD PERFORMER E49^{PV}

CHILTERN PARK L198^{SV}

ABERDEEN ESTATE WILCOOLA H140^{SV}

H P C A INTENSITY[#]

RENNYLEA L519^{PV}

RENNYLEA H414^{SV}

DAM: CROP246 JAROBEE L519 P246[#]

AYRVALE BARTEL E7^{PV}

JAROBEE BARTEL K133[#]

JAROBEE ULTRAVOX Y48[#]

HFR

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+5.1	+4.4	-3.1	+2.9	+50	+91	+113	+90	+0.26	+9.9	+17	+2.5	-6.4	+67	+9.4	-0.1	+0.5	+0.5	+3.8	+0.66	+12
Acc	59%	52%	82%	72%	69%	68%	72%	66%	44%	46%	59%	62%	43%	63%	63%	64%	64%	57%	67%	58%	62%	
Perc	29	40	72	27	58	59	66	69	52	20	48	36	17	55	19	52	37	41	19	88	82	
Selection Indexes				Raw Structural Assessments - 21/07/2025																		
\$A	\$D	\$GN	\$GS	F	R	F	R					Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$247	11	\$207	10	\$326	12	\$233	11	6	5	6	6	5	6	4	3	73	5.1	654 kg	1	40 cms		

Notes: A Quadrant son out of a L519 dam has great genetics

Purchaser:..... \$.....

Lot 29

JAROBEE SNIPER U232 # (HBR)

CR023U232

DOB: 11/5/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN PAYWEIGHT 1682^{PV}

POSS MAVERICK^{PV}

POSS PRIDE 5163[#]

SIRE: DXT21S91 TEXAS SNIPER S91^{PV}

BANGADANG WESTERN EXPRESS E10^{SV}

TEXAS UNDINE H647^{PV}

TEXAS UNDINE Z183^{PV}

TUWHARETOA REGENT D145^{PV}

PARINGA JUDD J5^{PV}

STRATHEWEN BERKLEY WILPENA F30^{PV}

DAM: CROM78 JAROBEE JUDD M78[#]

AYRVALE BARTEL E7^{PV}

JAROBEE BARTEL K134[#]

JAROBEE PERFORMER E126[#]

HFR

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+2.1	+3.0	-2.4	+3.0	+47	+88	+116	+98	+0.32	+7.3	+16	+3.3	-5.3	+63	+9.5	+1.8	+3.2	+0.4	+2.5	+0.40	+14
Acc	55%	48%	82%	71%	67%	65%	71%	64%	40%	42%	59%	62%	39%	58%	58%	59%	60%	53%	62%	52%	59%	
Perc	57	55	81	29	72	65	60	56	36	66	57	15	36	66	18	16	8	47	46	68	75	
Selection Indexes				Raw Structural Assessments - 21/07/2025																		
\$A	\$D	\$GN	\$GS	F	R	F	R					Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$216	39	\$175	44	\$282	42	\$204	35	5	5	6	6	5	5	5	4	86	6.6	644 kg	1	36 cms		

Notes: A Sniper son out of a Judd dam. U232 has positive fats

Purchaser:..... \$.....

Lot 30

JAROBEE PLANTATION U126 # (HBR)

CR023U126

DOB: 25/4/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

G A R PROPHET^{SV}

BALDRIDGE BEAST MODE B074^{PV}

BALDRIDGE ISABEL Y69[#]

SIRE: NBHP392 CLUNIE RANGE PLANTATION P392^{SV}

THOMAS UP RIVER 1614^{PV}

CLUNIE RANGE NAOMI M516[#]

CLUNIE RANGE NAOMI H5[#]

MOGCK BULLSEYE^{PV}

BRUNS BLASTER^{PV}

BALDRIDGE BLACKBIRD 11 BAF[#]

DAM: CROQ10 JAROBEE BLASTER Q10[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H181[#]

JAROBEE BUTCH'S MAXIMUM X4[#]

HFR

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+1.7	+0.2	-3.6	+3.9	+54	+94	+114	+91	+0.38	+7.7	+19	+2.9	-4.6	+64	+2.8	+0.4	-0.2	-0.4	+2.6	+0.24	+22
Acc	62%	54%	82%	72%	70%	68%	73%	67%	51%	54%	62%	66%	41%	62%	62%	63%	63%	57%	66%	56%	64%	
Perc	60	79	64	49	37	48	64	68	22	60	38	24	53	64	87	40	49	86	44	51	45	
Selection Indexes				Raw Structural Assessments - 21/07/2025																		
\$A	\$D	\$GN	\$GS	F	R	F	R					Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal				
\$194	65	\$164	59	\$264	59	\$173	68	5	5	6	7	6	6	2	2	57	2.5	640 kg	1	38 cms		

Notes: Another thick bull from a Blaster dam, sired by Plantation

Purchaser:..... \$.....

Lot 31

JAROBEE NEW GROUND U421 # (HBR)

CR023U421

DOB: 27/8/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,SC,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

HFR

A A R TEN X 7008 S A^{SV}

V A R DISCOVERY 2240^{PV}

DEER VALLEY RITA 0308[#]

EF COMPLEMENT 8088^{PV}

BOOROOMOOKA LAS VEGAS L195^{SV}

BOOROOMOOKA WINESKIN J73[#]

SIRE: TFAN90 LANDFALL NEW GROUND N90^{PV}

DAM: CROP146 JAROBEE LAS VEGAS P146[#]

MATAURI REALITY 839[#]

LANDFALL ELSA L88^{PV}

LANDFALL ELSA J139[#]

LAWSON'S INVINCIBLE C402^{PV}

JAROBEE INVINCIBLE G250[#]

JAROBEE EQUATOR D120[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+1.7	+1.6	-5.6	+3.7	+53	+99	+130	+108	+0.41	+6.9	+16	+2.9	-4.6	+70	+8.4	+1.1	+2.1	+0.5	+2.0	+0.58	+27	
Acc	63%	58%	82%	73%	70%	68%	74%	69%	53%	54%	64%	73%	46%	63%	62%	64%	64%	59%	65%	56%	65%	
Perc	60	68	33	44	42	33	29	40	17	74	56	24	53	46	27	26	16	41	59	83	25	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
\$220	35	\$181	36	\$287	38	\$206	33							3	3	66	3.4	636 kg	1	35.5 cms
								5	5	6	6	6	6							

Notes: U421 is suitable for heifer mating.

Purchaser:.....\$.....

Lot 32

JAROBEE TRAILBLAZER U85 # (HBR)

CR023U85

DOB: 29/3/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

HFR

A A R TEN X 7008 S A^{SV}

V A R DISCOVERY 2240^{PV}

DEER VALLEY RITA 0308[#]

AYRVALE GENERAL G18^{PV}

ESSLEMONT LOTTO L3^{PV}

ESSLEMONT JENNY J8^{PV}

SIRE: USA18996007 FERGUSON TRAILBLAZER 239E^{SV}

DAM: CROQ379 JAROBEE LOTTO Q379[#]

LD EMBLAZON 999^{PV}

MOLITOR999 BARBELLA 940-3012[#]

MOLITOR FA BARBELLA 389-940[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H175[#]

JAROBEE EQUATOR D120[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	-0.8	+1.1	-5.6	+4.1	+63	+114	+151	+143	+0.4	+7.7	+15	+2.4	-7.2	+90	+6.5	+0.4	+0.3	+0.0	+4.0	+0.42	+26	
Acc	72%	64%	86%	85%	84%	83%	83%	80%	64%	67%	76%	81%	56%	77%	76%	76%	76%	72%	78%	66%	77%	
Perc	76	72	33	55	9	6	5	6	13	59	78	43	8	26	49	41	41	74	17	69	26	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
-	-	-	-	-	-	-	-							3	3	74	4.7	636 kg	1	34 cms
								6	5	6	6	5	6							

Notes: Very solid genetics, sired by Trailblazer out of a Lotto dam.

Purchaser:.....\$.....

Lot 33

JAROBEE PLANTATION U127 # (HBR)

CR023U127

DOB: 24/4/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT

Genetic Status: AMFU,CAFU,DDFU,NHFU

HFR

G A R PROPHET^{SV}

BALDRIDGE BEAST MODE B074^{PV}

BALDRIDGE ISABEL Y69[#]

HIGHLANDER OF STERN AB[#]

BRAVEHEART OF STERN^{PV}

STERN 3886[#]

SIRE: NBHP392 CLUNIE RANGE PLANTATION P392^{SV}

DAM: CROM221 JAROBEE BRAVEHEART M221[#]

THOMAS UP RIVER 1614^{PV}

CLUNIE RANGE NAOMI M516[#]

CLUNIE RANGE NAOMI H5[#]

K C F BENNETT PERFORMER[#]

JAROBEE PERFORMER D133[#]

JAROBEE PRINCESS ULTRA W26[#]

TACE	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+1.4	+0.5	-3.2	+3.9	+48	+85	+104	+76	+0.33	+7.1	+19	+3.4	-4.1	+52	+3.5	+0.5	+1.0	-0.1	+2.1	+0.19	+20	
Acc	63%	56%	83%	72%	70%	68%	73%	68%	53%	55%	63%	66%	44%	63%	63%	64%	64%	58%	66%	57%	65%	
Perc	63	77	70	49	68	75	82	86	33	71	38	14	64	88	82	38	29	75	56	45	52	

Selection Indexes								Raw Structural Assessments - 21/07/2025												
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal
\$182	76	\$153	72	\$245	73	\$163	77							4	3	66	4.3	630 kg	1	37 cms
								5	5	6	6	6	6							

Notes: This Plantation son is ideal for heifer mating. Is a solid bull with positive fats.

Purchaser:.....\$.....

Lot 34

JAROBEE QUINELLA U213 # (HBR)

CR023U213

DOB: 3/8/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY IN SURE 8524#

TE MANIA FOE F734^{SV}

G A R FAIL SAFE^{PV}

GRANITE RIDGE KAISER K26^{SV}

G A R PROGRESS 830#

GRANITE RIDGE SUPREME F158^{SV}

SIRE: BWFQ33 MOOGENILLA QUINELLA Q33^{PV}

DAM: CROP170 JAROBEE KAISER P170#

EF COMPLEMENT 8088^{PV}

TE MANIA BERKLEY B1^{PV}

MOOGENILLA N9^{SV}

JAROBEE BERKLEY F103#

MOOGENILLA L4#

JAROBEE YELLOWSTONE A32#

HFR

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+5.5	+7.2	-5.7	+3.1	+52	+98	+122	+80	+0.16	+7.6	+22	+2.3	-5.6	+78	+9.6	+0.2	+0.2	+0.1	+3.9	+0.34	+26	
Acc	60%	51%	82%	73%	70%	68%	73%	68%	48%	49%	63%	66%	41%	62%	62%	63%	63%	57%	65%	60%	65%	
Perc	26	13	31	31	46	37	46	82	77	62	16	44	30	24	18	45	42	65	18	62	30	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$256	7	\$211	8	\$344	6	\$243	7	5	5	6	6	5	6	4	3	82	5.5	620 kg	1	37 cms		

Notes: Calving ease and low birth weight equates to a handy heifer bull.

Purchaser:.....\$.....

Lot 35

JAROBEE RECHARGE U236 # (HBR)

CR023U236

DOB: 23/8/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

H P C A INTENSITY#

A A R TEN X 7008 S A^{SV}

RENNYLEA L519^{PV}

44 ENVISION^{PV}

RENNYLEA H414^{SV}

MAURER'S MS PREDESTINED W10#

SIRE: BHRR102 DUNOON RECHARGE R102^{PV}

DAM: CROM248 JAROBEE ENVISION M248#

DUNOON HACKING H061^{PV}

LAWSON'S INVINCIBLE C402^{PV}

DUNOON ELINE M459^{SV}

JAROBEE INVIN F91#

DUNOON ELINE K595#

JAROBEE ULTRAVOX Z15#

HFR

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+7.4	+3.9	-6.4	+2.2	+53	+98	+129	+143	+0.4	+5.9	+15	+1.1	-3.9	+76	+6.2	+0.6	+1.7	-0.3	+3.4	+0.32	+31	
Acc	75%	62%	86%	88%	88%	85%	84%	80%	64%	67%	72%	82%	51%	74%	74%	74%	74%	69%	75%	63%	80%	
Perc	11	45	19	17	41	36	30	6	27	86	68	85	70	27	53	37	20	82	27	59	14	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
-	-	-	-	-	-	-	-											602 kg	1	cms		

Notes: U236 is a neat bull with a square top line.

Purchaser:.....\$.....

Lot 36

JAROBEE PRECISION U152 # (HBR)

CR023U152

DOB: 10/8/2023

Mating Type: AI

Traits Observed: None

Genetic Status:

BASIN FRANCHISE P142#

TE MANIA FOE F734^{SV}

EF COMPLEMENT 8088^{PV}

GRANITE RIDGE KAISER K26^{SV}

EF EVERELDA ENTENSE 6117#

GRANITE RIDGE SUPREME F158^{SV}

SIRE: HIOP5 AYRVALE PRECISION P5^{PV}

DAM: CROP50 JAROBEE KAISER P50#

STRATHEWEN REGENT E23 H70^{PV}

BT EQUATOR 395M#

AYRVALE LADY DI L39^{PV}

JAROBEE EQUATOR G141#

AYRVALE GLORIA G13^{PV}

THE GRANGE PFREDBIRD D114#

HFR

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth							Fertility		Carcase							Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+7.4	+1.7	-4.9	+4.1	+57	+98	+129	+110	+0.2	+8.2	+19	+2.2	-5.9	+76	+9.6	-1.0	-1.3	+1.2	+0.8	+0.03	+20	
Acc	65%	60%	88%	83%	79%	78%	79%	76%	62%	65%	72%	76%	52%	72%	70%	71%	71%	66%	73%	63%	72%	
Perc	38	67	44	53	25	36	31	37	67	48	37	50	25	50	17	71	69	12	86	29	50	
Selection Indexes					Raw Structural Assessments - 21/07/2025																	
\$A		\$D		\$GN		\$GS		F	R	F	R			Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
-	-	-	-	-	-	-	-							3	2	62	4	602 kg	1	36 cms		

Notes: The phenotype of this bull is prominent

Purchaser:.....\$.....

Lot 37

JAROBEE RECHARGE U426 # (HBR)

CR023U426

DOB: 18/8/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

HFR

H P C A INTENSITY#

RENNYLEA L519^{PV}

RENNYLEA H414^{SV}

SIRE: BHRR102 DUNOON RECHARGE R102^{PV}

DUNOON HACKING H061^{PV}

DUNOON ELINE M459^{SV}

DUNOON ELINE K595[#]

TE MANIA FOE F734^{SV}

GRANITE RIDGE KAISER K26^{SV}







GRANITE RIDGE SUPREME F158^{SV}

DAM: CROP54 JAROBEE KAISER P54[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H175[#]

JAROBEE EQUATOR D120[#]

TACE <small>TransTasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth								Fertility		Carcase						Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
	EBVs	+6.6	+3.4	-5.3	+3.7	+51	+94	+125	+118	+0.40	+71	+14	+1.4	-5.4	+76	+6.4	-0.2	+0.3	+0.4	+2.9	+0.23	+25
Acc	60%	50%	82%	72%	70%	68%	73%	66%	44%	46%	59%	66%	40%	59%	60%	61%	61%	55%	63%	52%	65%	
Perc	17	51	37	44	53	47	40	27	19	71	70	76	34	29	50	54	41	47	37	50	33	
Selection Indexes								Raw Structural Assessments - 21/07/2025														
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$215	41	\$175	43	\$279	45	\$199	40	5	5	6	6	6	6	2	2	63	3.5	606 kg	1	37 cms		

Notes: A Recharge son ideal for heifers.

Purchaser:..... \$.....

Lot 38

JAROBEE SNIPER U101 # (HBR)

CR023U101

DOB: 8/7/2023

Mating Type: AI

Traits Observed: GL,BWT,600WT,Scan(Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

BASIN PAYWEIGHT 1682^{PV}

POSS MAVERICK^{PV}

POSS PRIDE 5163[#]

SIRE: DXT21591 TEXAS SNIPER S91^{PV}

BANGADANG WESTERN EXPRESS E10^{SV}

TEXAS UNDINE H647^{PV}

TEXAS UNDINE Z183^{PV}

TE MANIA FOE F734^{SV}

GRANITE RIDGE KAISER K26^{SV}







GRANITE RIDGE SUPREME F158^{SV}

DAM: CROP191 JAROBEE KAISER P191[#]

TUWHARETOA REGENT D145^{PV}

JAROBEE REGENT H188[#]

JAROBEE S.S.TRAVELER T 510 Z24[#]

TACE <small>Trans Tasman Angus Cattle Evaluation</small>	Mid September 2025 TransTasman Angus Cattle Evaluation																					
	Calving Ease				Growth								Fertility		Carcase						Feed	Temp.
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	-1.8	-1.4	-2.1	+4.6	+45	+83	+110	+102	+0.33	+7.2	+14	+2.6	-4.1	+56	+8.5	-0.2	+0.0	+0.9	+1.9	+0.20	+20	
Acc	54%	46%	81%	71%	67%	65%	71%	64%	38%	41%	58%	62%	37%	58%	57%	58%	58%	52%	60%	50%	59%	
Perc	83	87	84	65	78	80	73	50	33	68	72	33	64	82	26	54	46	20	61	46	51	
Selection Indexes								Raw Structural Assessments - 21/07/2025														
\$A		\$D		\$GN		\$GS								Rump	Rib	EMA	IMF	Weight	Temperament	Scrotal		
\$172	83	\$140	84	\$224	84	\$158	81	5	5	6	66	5	6	2	2	65	4.1	588 kg	1	34 cms		

Notes: U101 will add thickness and length to any cow herd.

Purchaser:..... \$.....



NATIONAL VENDOR DECLARATION
(CATTLE) AND WAYBILL

C0720 81190310

This form cannot be used where eligibility for the EU market is required.
Part A To be completed by the owner or person who is responsible for the husbandry of the cattle.

Owner of cattle ACJA ROBINSON
Property/place where the journey commenced 79 ROBINSON ROAD
BEECHWORTH VIC 3747 (FULL TRADING NAME)
(ADDRESS/CONTINUED) (TOWN/SUBURB) (ADDRESS) (STATE)

Property Identification Code (PIC) of this property 3INTK002
This MUST be the PIC of the property that the stock is being moved from

Description of cattle		Brands or Earmarks (if present or required)
38 Angus Bulls		BRANDS

38 Total Use the Attachment Forms for consignments that require more lines to describe the stock. (See Explanatory Notes)

Consigned to ELDERS ALBURY
297 SCHUBACH STREET ALBURY NSW 2640
(NAME OF PERSON OR BUSINESS) (TOWN/SUBURB) (STATE)

Destination (if different) of cattle
Destination PIC (REQ: WA & TAS)
NLIS devices used on these cattle Number of ear tags 38 Number of rumen devices
Details of other statutory documents relating to this movement e.g. health statement

DOCUMENT TYPE NUMBER OFFICE OF ISSUE EXPIRY DATE

- 1 Have any of the cattle in this consignment ever in their lives been treated with a hormonal growth promotant (HGP)? (Use a second document for mixed consignments.)
Yes ☐ No ☒
2 Have the cattle in this consignment ever in their lives been fed feed containing animal fats?
Yes ☐ No ☒
3 Has the owner stated above owned these cattle since their birth?
Yes ☒ No ☐ If No, how long were the cattle obtained or purchased?
(If purchased at different times, tick the box corresponding to the time of the most recent purchase.)
A. Less than 2 months ☐ B. 2-6 months ☐ C. 6-12 months ☐ D. more than 12 months ☐
4 In the past 60 days, have any of these cattle been fed by-product stockfeeds?
Yes ☐ No ☒ If Yes, attach a list of the by-product stockfeeds, date when last fed and a copy of an analyst's report if available.

- 5 In the past 6 months have any of these animals been on a property listed on the ERP database or placed under any restrictions because of chemical residues?
Yes ☐ No ☒ If Yes, give details:
6 Are any of the cattle in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAFE MEAT, following treatment with any veterinary drug or chemical?
Yes ☐ No ☒ If Yes, give details: (Record additional details in question 9)
7 In the past 60 days, have any of the cattle in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed?
Yes ☐ No ☒ If Yes, give details:
8 In the past 42 days, were any of these cattle
a) grazed in a spray risk area; or
b) fed fodders cut from a spray drift risk area? (See Explanatory Notes for definition of spray drift risk area.)
Yes ☐ No ☒ If Yes, Date sprayed: / / 20
9 Please include any additional information below
eg: vaccination programs, animal health certification, additional declarations, etc.

Declaration

I JANET A. ROBINSON
FULL NAME
79 ROBINSON ROAD BEECHWORTH VIC 3747
FULL ADDRESS
ADDRESS CONT.

declare that, I am the owner or the person responsible for the husbandry of the cattle and that all the information in part A of this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that, while under my control, the cattle were not fed restricted animal material (including meat and bone meal) in breach of State or Territory legislation.

Signature* Janet A. Robinson Date* 10/10/2025
*Only the person whose name appears above may sign this declaration, or make amendments which must be initialed.

Tel no. 0439 324124 Fax no.
Email. jrobinson@outlook.com

Part B To be completed by the person in charge of the cattle while they are being moved.
Completion of this part is optional in SA and VIC.

Movement commenced: / / 20 (am/pm)
Vehicle registration number(s):

I am the person in charge of the cattle during the movement and declare all the information in Part B is true and correct.
Signature Date / / 20 Tel no.
*When more than one truck is carrying the cattle, other vehicle registration numbers are to be recorded.



AuctionsPlus

How to Register and Bid on AuctionsPlus

1

Go to **www.auctionsplus.com.au** to register at least 48 hours before the sale.

2

Select **"Sign Up"** in the top right hand corner.

3

Fill out your name, mobile number, email address and create a password.

4

Go to your emails and confirm the account.

5

Return to AuctionsPlus and log in.

6

Select **"Dashboard"** and then select **"Request Approval to Buy"**.

7

Fill in buyer details and once completed go back to Dashboard.

8

Complete buyer induction module (approx. 30 minutes).

9

AuctionsPlus will email you to let you know that your account has been approved.

10

Log in on sale day and connect to auction.

11

Bid using the two-step process – unlock the bid button and bid at that price.

12

If you are successful, the selling agent will contact you post sale to organise delivery and payment.

For more information please contact us on:

Phone: (02) 9262 4222

Email: info@auctionsplus.com.au

ANGUS HeiferSELECT

AN ADVANCED GENOMIC TOOL TO INFORM THE SELECTION OF REPLACEMENT HEIFERS FOR COMMERCIAL AUSTRALIAN ANGUS BREEDERS



A product of Angus Australia, developed with CSIRO and delivered in collaboration with Zoetis and Neogen.



Scan for more
information.

This was created as a result of
a collaboration between Angus
Australia and Meat & Livestock
Australia Donor Company
(MDC) (Project P.PSH.1063).



Recommendations for the introduction and management of your new bull:



1. UPON ARRIVAL:

- a) Ensure your new bulls socialises with a group of animals, (anything except other bulls) in the yards, when they arrive.
- b) Run the new bulls with a small group of empty females, (he has come from a different herd and may not have had exposure to some of the normal pathogens present in your herd – see further information below).
 - i. **This MUST be done with the empty females, for a period of 2 to 4 weeks.** Ideally the bull can then be rested for 6-8 weeks prior to joining.
 - ii. **Ideally give the cows prostaglandin every 2 weeks so they continue to cycle.**
- c) Ideally bulls should be insured for their first year as standard.

2. PRE-JOINING:

- a) We recommend a breeding soundness examination (BSE), including structural assessment, testicular palpation, and a service ability test. This is mandatory for second joining and older bulls each year. It will improve the fertility performance of the herd, by removing infertile bulls from the joining group. If bulls are not service tested it is essential that you observe the bulls serve in the first week on joining.
 - i. These bulls will be given a risk rating and mating potential which will influence joining bull teams.
- b) **Keep vaccinations up to date;** Vibrovax, Leptospirosis 7-in-1, Pestigard and an annual drench, 4-6 weeks prior to joining.

3. JOINING - new bulls have the highest risk of breakdown in the herd, this risk can be reduced by:

- a) **PROTECT a new bull by not over-joining, 30 females per virgin bull maximum.**
- b) **Recommended to multi-sire join.**
 - i. Ideally mixing bulls of different age groups, experience levels and risk ratings.
- c) **It is recommended, IF single sire joining with a new bull, to rotate him with a proven bull for at least one cycle. Also, it is good practice to rotate proven bulls for the last cycle with all new bulls.**

“Most new bull fertility issues develop or are acquired during the joining period, rather than being pre-existing problems, this means that bull observation during the joining period is essential!

ONCE THE JOINING PROGRAM IS SET UP, MONITORING IS ESSENTIAL TO IDENTIFY ISSUES AS THEY DEVELOP.

Your new bulls need to be run in mobs that are easily monitored, keep them close to promote observation, check them 2 to 3 times a week for the first three weeks and then weekly thereafter. This involves looking for,

1. The bull serving, (this has not been successful until the bull thrusts). If bulls are continually mounting without serving it is often a sign the bull has developed a penile infection and needs to be rested and replaced immediately. Sound bulls should serve every 1 to 2 mounts.
2. Lameness.
3. Evidence of penile or preputial swelling or inflammation.
4. Signs of ill health, lethargy, etc.
5. Estimate the number of females cycling, (for every 20 females, one cycles each day at the commencement of joining). After three weeks of joining, there should only be one cow cycling every three days in 20 females.

4. POST-JOINING:

- a. **Annual breeding soundness evaluation is a non-negotiable procedure.**
 - b. Good management of bulls is a year-round procedure.
 - i. Keep bulls in working body condition – they should be in body condition score 3/5 at the start of mating, which will involve removing weight following the joining period.
 - ii. Manage bulls in groups of joining teams to establish stable social hierarchies and minimise bull fighting.
- ✓ Bulls need to be removed from the cows, at the same time, to create their mobs. This will limit the number of potential injuries by reducing the number of bull interactions.
 - ✓ Bull paddock management is very important to minimize injury between joinings. The bulls need enough room to reduce fighting, restricted feed and water will increase interaction. Paddocks will require co-grazing with sheep, or crash-grazing by other mobs to manage feed quality and quantity on offer for the bulls.
 - ✓ The target between joining is to restrict weight gain in older bulls to prevent breakdowns. Ideally young bulls have access to a higher level of nutrition as they continue to grow.
 - ✓ Early pregnancy testing is essential for good female management and detection of surprises. The earlier the pregnancy testing is undertaken, the more likely the cause of the problem will be identified. This will not only give you early notice of the problem but also help in formulating a plan to help reduce the chance of the problem occurring again in the future.

PENILE INFECTIONS IN BULLS – “Balanoposthitis”:

Penile infections are a common disease in young bulls during their first joining season in any new herd. Mitigating the risk of this disease as outlined above is essential to reduce the number of breakdowns and optimise bull cost per calf.

These infections are caused by a range of bacterial, viral and other organisms (“pathogens”). The genital form of infectious bovine rhinotracheitis (IBR; herpes virus) is commonly implicated. The issue is that any given property has its own population of reproductive tract pathogens and if the new bulls make their first contact with these pathogens at the time of high workload (such as joining) they are at a high risk of developing a penile injury.

These injuries typically involve a reddened inflamed penis, developing to ulceration and pustules. Some bulls will stop serving due to pain (will continue to mount, but not serve), but other high libido bulls will continue to serve and create significant inflammation commonly leading to preputial tears, abscesses and prolapses. These are often perceived to be a “broken penis”, which they are not and **IF treated promptly may regain normal function!**

Treatment involves prompt removal of the affected bull from the joining mob, sexual rest (typically for the remainder of the joining) and treatment with antibiotics and anti-inflammatories. Preputial prolapses require surgical replacement.

If undetected these injuries commonly cause a significant decrease in pregnancy rate and commonly result in permanent infertility in the bull. **Observation and intervention are essential!**

Prevention of this condition is best achieved as outlined above, by deliberate pre-exposure of new bulls to a small number of females (low workload) well before the joining so that they are exposed and can develop immunity to the herds’ pathogens prior to the high workload of the joining period.

Positive fertility outcomes are a significant driver of profitability in beef breeding enterprises, but this requires informed and active management!

Dr. Shane Thomson BVetBio. BVSc. MAnSc. for HOLBROOK VETERINARY CENTRE.

Angus Australia Disclaimer and Privacy Information



Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

Buyers option to opt out of disclosing personal information to Angus Australia

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.


I, the buyer of animals with the following ids _____

from member _____ (name) do not consent to Angus Australia using my name address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Authorised Name: _____ Signature: _____

Date: _____

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350



NOTES

[illegible]

JAROBEE

• ANGUS •



R18